

Table of Contents

INDEX	PAGES 1 TO 6
TITLE PAGE	7
IMPORTANT INFORMATION:	7
PC CABLES .. PAGE 8	
PARALLEL PRINTER CABLES	8
• STANDARD	8
• BI-DIRECTIONAL	8
• PREMIUM EXTENDED DISTANCE	8
IEEE 1284 BI-TRONICS® CABLES	9
• TYPE A-B	9
• TYPE A-C	9
PARALLEL NETWORKING	9
PRINTER EXTENSION KITS	9
EXTENSION CABLES	9
• CENTRONICS 36 PIN	9
• DB25 PIN SERIAL	10
MODEM SERIAL CABLES	10
• DB9 PIN SERIAL	10
• DB25 PIN SERIAL	10
• PERIPHERAL/LASERJET CABLE	10
NULL MODEM	11
• SERIAL (RS232)	11
• NULL MODEM/PRINTER	11
• ADAPTERS	11
SERIAL PRINTER CABLES	11
• DB25 SERIAL CABLES	11
• DB9 SERIAL CABLES	11
• DB9 PRINTER CABLES	11
COMMUNICATION CABLES	12
• COMMUNICATION CABLES 100% LAPLINK® COMPATIBLE	12
KEYBOARD CABLES & ADAPTERS	12
MOUSE CABLES & ADAPTERS	12
USB CABLES & CONNECTORS	13
• USB FULLY RATED CABLES	13
• USB SUB CHANNEL CABLES	13
• USB PCB RECEPTACLES	13
IEEE 1394 CABLES	13
SWITCHBOX CABLES	13
• PARALLEL APPLICATIONS	13
• MONITOR/KEYBOARD SWITCHBOX CABLES	13
GENDER CHANGERS/ADAPTERS	14
• THIN GENDER CHANGERS	14
• ADAPTERS	14
• MODULAR ADAPTERS	14
• NULL MODEM ADAPTERS	14

RIBBON DRIVE CABLES	15
• 34 PIN DRIVE CABLES	15
• 40 PIN DRIVE CABLES	15
• 50 PIN DRIVE CABLES	15
• 68 PIN SCSI DRIVE CABLES	15
MONITOR/VIDEO CABLES	15
VIDEO SPLITTER	16
MULTIMEDIA CABLES	16
• AUDIO CABLES	16
• CD-ROM CABLES	16
POWER CORDS	16
• WALL TO POWER SUPPLY	16
• POWER EXTENSION CORD	16
• POWER EXTENSION CORDS	16
• MONITOR POWER ADAPTER CORD	17
DRIVE POWER CABLES	17
CPU/PERIPHERAL SHARING	17
VIDEO SPLITTER	17

MAC CABLES .. PAGE 18

APPLE MACINTOSH® CABLES	18
• SERIAL PRINTER/PERIPHERAL CABLES	18
• SERIAL PRINTER CABLES	18
• SERIAL MODEM CABLES	18
• MACINTOSH TO PC COMMUNICATION CABLE	18
• SERIAL EXTENSION/SWITCHBOX CABLES	19
• APPLE DESKTOP BUS (ADB) CABLES	19
• MONITOR/VIDEO CABLES & ADAPTERS	19
APPLE MACINTOSH NETWORKING	20
• PHONENET® COMPATIBLE NETWORK KITS	20
• LOCALTALK™ EXTENDER CABLES	20
• ETHERNET TRANSCEIVERS	20
ECONOMY MACINTOSH SCSI CABLES	20
• STANDARD SCSI SYSTEM DRIVE CABLES	20
• STANDARD SCSI PERIPHERAL CABLES	20
PREMIUM MACINTOSH SCSI CABLES	21
• PREMIUM SYSTEM DRIVE CABLES	21
• PREMIUM DB25 SYSTEM DRIVE CABLES	21
• PREMIUM SCSI PERIPHERAL CABLES	21
• PREMIUM SCSI EXTENDER CABLES	21
• MACINTOSH SCSI-2 CABLES	21
• POWERBOOK SCSI CABLES/ADAPTER	21
• SCSI TERMINATORS	22
OLDER MODEL MACINTOSH CABLES	22
• MACINTOSH 128/512K CABLES	22
• APPLE IIC/IE PRINTER/MODEM CABLES	22

WORKSTATION / SCSI ... PAGE 23

SUN WORKSTATION	23
• VIDEO CABLES/ADAPTERS	23
• KEYBOARD REPLACEMENT CABLES	23
• KEYBOARD EXTENSION CABLES	23
• SERIAL EXTENSION/COMMUNICATION CABLES	23
• PRINTER CABLES	23
SUN SCSI CABLES	24
• DB50 MALE TO CENTRONICS 50 MALE CABLES	24
• DB50 MALE - MALE CABLES	24
SILICON GRAPHICS® WORKSTATIONS	24
• KEYBOARD CABLES	24
• MODEM CABLES	24
• SERIAL PRINTER CABLE	24
• EXTENSION CABLES	24
ONYX WORKSTATION CABLES	25
• MODEM CABLES	25
• PRINTER CABLES	25
SCSI-1 CABLES	25
• CENTRONICS 50 MALE - MALE CABLES	25
• INTERNAL RIBBON CABLES	25
SCSI-2 CABLES	25
• STANDARD SCSI-2 TO SCSI-2 CABLES	25
• PREMIUM SCSI-2 TO SCSI-2 CABLES	26
• STANDARD SCSI-2 TO SCSI-1 CABLES	26
• PREMIUM SCSI-2 TO SCSI-1 CABLES	26
• PREMIUM SCSI-2 TO DB50 CABLES	26
• PREMIUM SCSI-2 TO DB25 CABLES	26
• SCSI-2 INTERNAL RIBBON CABLES	26
MINI CENTRONICS TYPE SCSI-2 CABLES	27
• MINI CENTRONICS 50 PIN SCSI-2 CABLES	27
• MINI CENTRONICS 50 PIN SCSI-2 TO .050 50 POSITION SCSI-2 CABLES	27
• MINI CENTRONICS 50 PIN SCSI-2 TO CENTRONICS 50 CABLES	27
RS6000 60/68 PIN CABLES	27
• MINI CENTRONICS 60 PIN SCSI-2 TO SCSI-3 CABLES	27
• MINI CENTRONICS 60 PIN SCSI-2 TO SCSI-2 CABLES	27
• MINI CENTRONICS 60 PIN SCSI-2 TO DB 50 CABLES	27
• MINI CENTRONICS 60 PIN SCSI-2 TO SCSI-1 CABLES	27
• MINI CENTRONICS 68 PIN SCSI-3 TO SCSI-3 CABLES	28
• MINI CENTRONICS 68 PIN SCSI-3 TO SCSI-2 CABLES	28
• MINI CENTRONICS 68 PIN SCSI-3 TO DB50 CABLES	28
• MINI CENTRONICS 68 PIN SCSI-3 TO SCSI-1 CABLES	28
SCSI-3 CABLES	28
• PREMIUM SCSI-3 TO SCSI-3 CABLES	28
• STANDARD SCSI-3 TO SCSI-3 CABLES	28
• PREMIUM SCSI-3 TO SCSI-2 CABLES	28
• STANDARD SCSI-3 TO SCSI-2 CABLES	28
• PREMIUM SCSI-3 TO SCSI-1 CABLES	29
• STANDARD SCSI-3 TO SCSI-1 CABLES	29
• PREMIUM SCSI-3 TO DB25 CABLES	29

SCSI-3 8-BYTE TERMINATED	29
• PREMIUM SCSI-3 TO SCSI-2 CABLES	29
• STANDARD SCSI-3 TO SCSI-2 CABLES	29
• PREMIUM SCSI-3 TO SCSI-1 CABLES	29
• STANDARD SCSI-3 TO SCSI-1 CABLES	29
ULTRA-2 SCSI-3 CABLES	30
• .8MM SCSI-3 TO .8MM SCSI-3 ULTRA-2 CABLES	30
• .8MM SCSI-3 TO .050 SCSI-3 ULTRA-2 CABLES	30
• .8MM SCSI-3 TO SCSI-2 ULTRA-2 CABLES	30
• .8MM SCSI-3 TO CENTRONICS 50 ULTRA-2 CABLES	30
• .8MM SCSI-3 TO DB25	30
• 68 POSITION SCSI INTERNAL FLAT RIBBON CABLES	30
IOMEGA®, ZIP & JAZ DRIVE CABLES	31
• SCSI ZIP DRIVE CABLES	31
• PARALLEL ZIP DRIVE CABLES	31
• JAZ DRIVE SCSI CABLES	31
SCSI TERMINATORS	31
• CENTRONICS 50 TERMINATORS	31
• DB25 TERMINATORS	31
• SCSI-2 TERMINATORS	31
• SCSI-3 TERMINATORS	31
• INTERNAL TERMINATORS	31
SCSI ADAPTERS	32

NETWORKING ... PAGE 32

ETHERNET	32
• COLOR CODED CATEGORY 5 PATCH CABLES	32
• RG58 COAXIAL CABLES	32
• CUSTOM ETHERNET CABLES	33
• BNC CONNECTORS	33
ROUTER/BRIDGE CABLES	33
• CISCO® 60 PIN CABLES	33
• CISCO EIA CABLES	33
• CISCO X.21 INTERFACE CABLES	33
• CISCO MODULAR ADAPTERS	33
• CISCO RJ45 CABLES	34
• 3COM® CONSOLE CABLES	34
• 3COM I/O MODULE CABLES	34
• 3COM FLEX-WAN CABLES	34
• 3COM DIRECT CONNECT CABLES	34
• BAY NETWORKS® CONSOLE/MODEM CABLES	35
• BAY NETWORKS LOCAL AREA NETWORK CABLES	35
• BAY NETWORKS SYNCHRONOUS CABLES	35
ETHERNET TRANSCEIVER CABLES	35
• AAUI ETHERNET TRANSCEIVERS (MACINTOSH)	35
• OFFICE TRANSCEIVER CABLES	35
• TRANSCEIVER CABLES	36

DIGIBOARD® CABLES	36
• EXTENSION CABLES	36
• RS-232 SYNCHRONOUS MODEM CABLES	36
• RS-422 SYNCHRONOUS MODEM CABLES	36
• HOST TO CONCENTRATOR CABLES	36
• HOST TO PRE-1993 CONCENTRATOR CABLES	36
• RS-232 DTE SERIAL CABLES	36
• RS-232 DCE SERIAL CABLES	36
• DTE OCTO AND QUAD CABLES	37
TOKEN RING	37
• TYPE 3 MEDIA JUMPER	37
• MEDIA FILTER KIT	37
• MEDIA FILTER KIT CABLES	37
• ADAPTER CABLES	37
• PATCH CABLES - DATA CONNECTOR	37
• PATCH CABLES - RJ45 CONNECTOR	37
• DATA CONNECTORS	37
FIBER OPTIC MULTIMODE ASSEMBLIES	38
• DUPLEX, FDDI RATED, PVC ASSEMBLIES	38
MACINTOSH NETWORKING PRODUCTS	38
• PHONENET® COMPATIBLE NETWORK KITS	38
• LOCALTALK® EXTENDER CABLES	38
CPU/PERIPHERAL SHARING	38

BULK CABLE ... PAGE 39

COAXIAL CABLE - NETWORK/VIDEO	39
• RG6-A COAXIAL CABLE	39
• RG58/U PVC COAXIAL CABLE	39
• RG58/U PLENUM COAXIAL CABLE	39
• THINNET PVC COAXIAL CABLE	39
• THINNET PLENUM COAXIAL CABLE	39
MULTIPLE CONDUCTOR	40
TOKEN RING	40
UNSHIELDED TWISTED PAIR	40
VIDEO CABLE	40
SCSI CABLE.....	40
TELEPHONE/NETWORKING	40
• 4 CONDUCTOR	40
• 6 CONDUCTOR	41
• 8 CONDUCTOR	41
• MODULAR CONNECTORS/ADAPTERS	41
CONNECTORS/TOOLS	41

ACCESSORIES .. PAGE 42

MANUAL SWITCHBOXES	42
• COMPUTER PRINTER	42
• DB25	42
• DB9	42
• MINI DIN 8 PIN	42
• CENTRONICS 36	42
• HD DB15	42
• MONITOR/KEYBOARD	42
SWITCHBOX CABLES	43
• PARALLEL APPLICATIONS	43
• MONITOR/KEYBOARD SWITCHBOX CABLES	43
AUTOMATIC SWITCHBOXES	43
• SERIAL	43
• PARALLEL	43
IEEE 1284 BI-DIRECTIONAL SWITCHBOXES	43
PRINTER NETWORKING/CONVERSION	43
CPU/PERIPHERAL SHARING	43
VIDEO SPLITTER	44
STANDARD SURGE SUPPRESSOR	44
PREMIUM SURGE SUPPRESSOR	44
• POWER CONTROL CENTER	44
ACCESSORIES	44

PROGRAMS .. PAGE 45

OEM/OFFSHORE MANUFACTURING	45
• DIRECT ACCESS TO OFFSHORE FACTORIES	45
• SC/ASIA MEANS LOWER OVERALL COMPONENT COSTS	45
• HIGH QUALITY CUSTOM AND STANDARD PRODUCTS	45
• SC/ASIA OFFERS ORIGINAL EQUIPMENT MANUFACTURERS:	45
CABLE/CONNECTOR/ADAPTER CAPABILITIES	46
• PC COMPATIBLE CABLES AND ADAPTERS	46
• MACINTOSH COMPATIBLE CABLES AND ACCESSORIES	46
• WORKSTATION/PC SCSI CABLES	46
• NETWORKING CABLES	46
RACK MERCHANDISE PROGRAM	47

REFERENCE .. PAGE 48

SCSI CONNECTORS	48
MINI DIN CONNECTORS	49
DB CONNECTORS	49
CENTRONICS CONNECTORS	49
MINI CENTRONICS CONNECTORS	49
TWINAX CONNECTOR	49
DIN CONNECTORS	49
MODULAR CONNECTORS	49
COMMON PINOUTS	50
PART NUMBER CROSS REFERENCE	51

Welcome to the **1997 PDF Version** of the **System Connection Product Catalog**

© 1997, System Connection, Inc.



QUICK INDEX:

PC Cables	8
Mac Cables	18
Workstation/SCSI Cables	23
Networking	32
Bulk Cables	39
Accessories	42
Programs	45
Reference	48

IMPORTANT INFORMATION:

To place an order: (800) 877-8262 7:00 a.m. - 5:30 p.m., Mountain Standard Time
To fax an order: (801) 373-9847 24 hours a day
For OEM inquiries: (800) 232-6361 8:00 a.m. - 5:00 p.m., Mountain Standard Time
E-mail addresses: Sales sales@sconnect.com
Technical Support tech@sconnect.com

Our Mailing Address: 441 East Bay Blvd.
P.O. Box 50540
Provo, UT 84605-0540 U.S.A.

System Connection website: www.sconnect.com
SC/Asia website: www.scasia.com

PC CABLES

PARALLEL PRINTER CABLES


• STANDARD

Connectors: DB25 Male - Centronics 36 Pin

Cable/Shielding Type: Molded - Aluminum/Mylar foil shielding

Connected Pins: 18 lines

CIB-001-06	6' (1.8M)	PC PARALLEL PRINTER CABLE
CIB-001-10	10' (3.0M)	PC PARALLEL PRINTER CABLE
CIB-001-15	15' (4.6M)	PC PARALLEL PRINTER CABLE
CIB-001-25	25' (7.6M)	PC PARALLEL PRINTER CABLE
CIB-001-50	50' (15.2M)	PC PARALLEL PRINTER CABLE




• BI-DIRECTIONAL

Connectors: DB25 Male - Centronics 36 Pin

Application: Used for bi-directional laser printers

Connected Pins: 25 lines

CIB-25C-06	6' (1.8M)	PC BI-DIRECTIONAL PRINTER CABLE
CIB-25C-10	10' (3.0M)	PC BI-DIRECTIONAL PRINTER CABLE
CIB-25C-15	15' (4.6M)	PC BI-DIRECTIONAL PRINTER CABLE
CIB-25C-25	25' (7.6M)	PC BI-DIRECTIONAL PRINTER CABLE
CIB-25C-50	50' (15.2M)	PC BI-DIRECTIONAL PRINTER CABLE



• PREMIUM EXTENDED DISTANCE

Connectors: DB25 Male - Centronics 36 Pin

Cable/Shielding Type: Low capacitance wire with foil and copper braid.


Built with assembled connectors in the USA.

Connected Pins: All 25 lines connected

Application: Recommended for superior data integrity.

Printer distances over 50 feet.

HE0727-50	50' (15.2M)	PREMIUM GRADE PRINTER CABLE
HE0727-75	75' (22.9M)	PREMIUM GRADE PRINTER CABLE
HE0727-150	150' (45.7M)	PREMIUM GRADE PRINTER CABLE




IEEE 1284 BI-TRONICS® CABLES

Connectors: DB25 Male/36 Pin Mini Centronics Male/Centronics 36 Pin Male
 Cable/Shielding Type: Molded 25 conductor IEEE 1284 Foil and Braid Shielded
 Connect Pins: All 25 lines

Application: Connecting IBM/PC compatible computers with EPP/ECP/IEEE 1284 port to an inkjet or laser printer with a 36 pin Mini Centronics IEEE 1284 parallel port


• TYPE A-B

- CIB-087-06 6' (1.8M) IEEE1284 PRINTER CABLE
- CIB-087-10 10' (3.0M) IEEE1284 PRINTER CABLE
- CIB-087-15 15' (4.6M) IEEE1284 PRINTER CABLE



• TYPE A-C

- CIB-086-10 10' (3.0 M) IEEE 1284 PARALLEL PRINTER CABLE



PARALLEL NETWORKING

- SA-450 BASIC NETWORK KIT - KIT INCLUDES 1 TRANSMITTER, 1 RECEIVER, 25' PHONE CORD

- SA-452 PARALLEL TRANSMITTER - DB25 M

PRINTER EXTENSION KITS

- SA-PEX PARALLEL EXTENDER KIT (Increase distance up to 2000')
 Kit includes 1 transmitter, 1 receiver, 25' phone cord

- SA-PEXD PARALLEL EXTENSION KIT DB25 M/M


EXTENSION CABLES

• CENTRONICS 36 PIN

Connectors: Centronics 36 Pin
 Cable/Shielding Type: Molded 25 conductor - Aluminum/Mylar Foil Shielding
 Connected Pins: 25 lines

- CIB-003-06 6' (1.8M) CENTRONICS 36 M/M CABLE
- CIB-003-10 10' (3.0M) CENTRONICS 36 M/M CABLE
- CIB-003-15 15' (4.6M) CENTRONICS 36 M/M CABLE

- CIB-051-06 6' (1.8M) CENTRONICS 36 M/F CABLE
- CIB-051-10 10' (3.0M) CENTRONICS 36 M/F CABLE



EXTENSION CABLES (continued)


• DB25 PIN SERIAL

Connectors: DB25 M/M

Cable/Shielding Type: Molded 25 conductor - Aluminum/Mylar Foil Shielding.

Connected Pins: All 25 lines

Application: Extends distance from IBM/PC compatible computers to printers, modems or switchboxes.



CIB-004-06	6' (1.8M)	DB25 M/M 25 CONDUCTOR CABLE
CIB-004-10	10' (3.0M)	DB25 M/M 25 CONDUCTOR CABLE
CIB-004-15	15' (4.6M)	DB25 M/M 25 CONDUCTOR CABLE
CIB-004-25	25' (7.6M)	DB25 M/M 25 CONDUCTOR CABLE

CIB-005-06	6' (1.8M)	DB25 M/F 25 CONDUCTOR CABLE
CIB-005-10	10' (3.0M)	DB25 M/F 25 CONDUCTOR CABLE
CIB-005-15	15' (4.6M)	DB25 M/F 25 CONDUCTOR CABLE
CIB-005-25	25' (7.6M)	DB25 M/F 25 CONDUCTOR CABLE

MODEM SERIAL CABLES


• DB9 PIN SERIAL

Connectors: DB9 Female - DB25 Male

Cable/Shielding Type: Molded 9 conductor - Aluminum/Mylar Foil Shielding

Application: For connecting any DB9 male serial port to any Hayes® compatible external modem (DB25 female serial port).

Supports hardware handshaking.



CIB-008-01	1' (30M)	AT SERIAL MODEM/ADAPTER CABLE
CIB-008-06	6' (1.8M)	AT SERIAL MODEM/ADAPTER CABLE
CIB-008-10	10' (3.0M)	AT SERIAL MODEM/ADAPTER CABLE


• DB25 PIN SERIAL

Connectors: DB25 Female - DB25 Male

Cable/Shielding Type: Molded 25 conductor - Aluminum/Mylar Foil Shielding

Connected Pins: All 25 lines - straight through


Application: Extends distance from IBM/PC compatible computers to printers, modems or switchboxes.



CIB-005-06	6' (1.8M)	DB25M - DB25F 25 CONDUCTOR CABLE
CIB-005-10	10' (3.0M)	DB25M - DB25F 25 CONDUCTOR CABLE
CIB-005-15	15' (4.6M)	DB25M - DB25F 25 CONDUCTOR CABLE
CIB-005-25	25' (7.6M)	DB25M - DB25F 25 CONDUCTOR CABLE

• PERIPHERAL/LASERJET CABLE

CIB-009-10	10' (3.0M)	DB9 M/F PERIPHERAL CABLE
500103-10	10' (3.0M)	DB9M-DB25F HP LASERJET SERIAL CABLE




NULL MODEM

• SERIAL (RS232)

Connectors: DB25

Cable/Shielding Type: Molded 10 conductor - Aluminum/Mylar Foil Shielding


Application: Used to connect similarly interfaced serial devices such as PC's, printers, plotters, modems, scanners and multiplexers.



- CIB-006-10 10' (3.0M) DB25 M/F NULL MODEM CABLE
- CIB-006M-10 10' (3.0M) DB25 M/M NULL MODEM CABLE
- CIB-006F-10 10' (3.0M) DB25 F/F NULL MODEM CABLE

• NULL MODEM/PRINTER

- CIB-036-10 10' (3.0M) DB9F-DB25M NULL MODEM/PRINTER CABLE
- CIB-036-25 25' (7.6M) DB9F-DB25M NULL MODEM/PRINTER CABLE



• ADAPTERS

Specifications: Fully molded with gold-plated contacts

Application: Used to connect similarly interfaced serial devices by converting a cable with a straight through pinout.

- CIB-NULL DB25 M/F NULL MODEM ADAPTER
- CIB-NULLM DB25 M/M NULL MODEM ADAPTER
- CIB-NULLF DB25 F/F NULL MODEM ADAPTER

SERIAL PRINTER CABLES


Connectors: DB25 Male-Female & DB9 Female-DB25 Male

Cable/Shielding Type: Molded - Aluminum Mylar Foil Shielding

Application: HP Plotters to IBM/PC compatible computers


• DB25 SERIAL CABLES

- CIB-035-10 10' (3.0M) DB25 F/M HP PLOTTER/PRINTER CABLE
- CIB-035-25 25' (7.6M) DB25 F/M HP PLOTTER/PRINTER CABLE




• DB9 SERIAL CABLES

- CIB-036-10 10' (3.0M) DB9 F - DB25 M NULL MODEM/PRINTER CABLE
- CIB-036-25 25' (7.6M) DB9 F - DB25 M NULL MODEM/PRINTER CABLE



• DB9 PRINTER CABLES

- CIB-009-10 10' (3.0M) DB9 M - DB9 F PERIPHERAL CABLE
- 500103-10 10' (3.0M) DB9 M - DB25 F HP LASERJET SERIAL CABLE



USB CABLES & CONNECTORS

• USB FULLY RATED CABLES

Cable/Shielding Type: USB Ver. 1.0 Spec. , 28 AWG Data Twisted Pair, 20-28 AWG Power Pair
Double shielded with drain wire.

Connectors: USB Series A & B

95004-LENGTH SERIES A TO UNTERMINATED CABLE *NEW!*
95006-LENGTH SERIES A TO SERIES B CABLE *NEW!*

• USB SUB CHANNEL CABLES

Cable/Shielding Type: USB Ver. 1.0 spec., 28 AWG Data, 20-28 AWG Power

95005-LENGTH SERIES A TO UNTERMINATED CABLE *NEW!*
95287-LENGTH SERIES A TO SERIES B CABLE *NEW!*

• USB PCB RECEPTACLES

CN-95049 SERIES A RIGHT ANGLE THROUGH HOLE *NEW!*
CN-95050 SERIES B RIGHT ANGLE THROUGH HOLE *NEW!*
CN-95051 SERIES A RIGHT ANGLE STACKED THROUGH HOLE *NEW!*

IEEE 1394 CABLES

95286-LENGTH 1394 6 POSITION CONNECTOR TO UNTERMINATED *NEW!*
95287-LENGTH 1394-1394 6 POSITION CONNECTOR CABLE *NEW!*

USB/IEEE 1394 CUSTOM CABLES

System Connection builds our USB/1394 cables and connectors in an ISO 9002 certified factory to your exact specifications. Custom lengths, configurations, colors, or overmolds are available.

SWITCHBOX CABLES

Cable/Shielding Type: Molded - Aluminum/Mylar Foil Shielding


Applications: Used to connect computers and peripherals to manual and automatic switchboxes. For common parallel and serial applications.

For other applications, call technical support at (800) 877-9143.

• PARALLEL APPLICATIONS



From computer to switchbox

CIB-004-06 6' (1.8M) DB25 M/M 25 CONDUCTOR CABLE
CIB-004-10 10' (3.0M) DB25 M/M 25 CONDUCTOR CABLE
CIB-004-15 15' (4.6M) DB25 M/M 25 CONDUCTOR CABLE
CIB-004-25 25' (7.6M) DB25 M/M 25 CONDUCTOR CABLE



• MONITOR/KEYBOARD SWITCHBOX CABLES

CIB-047M-06 6' (1.8M) HD DB15 M/M MONITOR SWITCHBOX CABLE
CIB-011M-06 6' (1.8M) DIN 5 M/M KEYBOARD SWITCHBOX CABLE
CIB-048M-06 6' (1.8M) MINI DIN 6 M/M KEYBOARD SWITCHBOX CABLE



GENDER CHANGERS/ADAPTERS

• THIN GENDER CHANGERS

CIB-GC-T09P	DB9 M/M GENDER CHANGER
CIB-GC-T09SD	B9 F/F GENDER CHANGER
CIB-GC-T15PD	B15 M/M GENDER CHANGER
CIB-GC-T15SD	B15 F/F GENDER CHANGER
CIB-GC-T25PD	B25 M/M GENDER CHANGER
CIB-GC-T25SD	B25 F/F GENDER CHANGER
CIB-GC-TH15P	HIGH DENSITY DB15 M/M GENDER CHANGER
CIB-GC-TH15S	HIGH DENSITY DB15 F/F GENDER CHANGER

• ADAPTERS

CIB-9S25P	DB9F-DB25M SERIAL ADAPTER
CIB-9S25S	DB9F-DB25F SERIAL ADAPTER
CIB-9P25S	DB9M-DB25F SERIAL ADAPTER
CIB-9P25P	DB9M-DB25M SERIAL ADAPTER

• MODULAR ADAPTERS

MC-25P-11	DB25M-RJ12 ADAPTER (6 LINES)
MC-25S-11	DB25F-RJ12 ADAPTER (6 LINES)
MC-25P-45	DB25M-RJ45 ADAPTER (8 LINES)
MC-25S-45	DB25F-RJ45 ADAPTER (8 LINES)

MC-9P-11	DB9M-RJ12 ADAPTER (6 LINES)
MC-9S-11	DB9F-RJ12 ADAPTER (6 LINES)
MC-9P-45	DB9M-RJ45 ADAPTER (8 LINES)
MC-9S-45	DB9F-RJ45 ADAPTER (8 LINES)


• NULL MODEM ADAPTERS

CIB-NULL	DB25 M/F NULL MODEM ADAPTER
CIB-NULLF	DB25 F/F NULL MODEM ADAPTER
CIB-NULLM	DB25 M/M NULL MODEM ADAPTER

RIBBON DRIVE CABLES

• 34 PIN DRIVE CABLES

CIB-FDC-PC 18" (.46M) 34PIN-34PIN/EDGE-34PIN/EDGE
FLOPPY CONTROL CABLE



• 40 PIN DRIVE CABLES

CIB-IDC40S 18" (.46M) 40PIN-DRIVE CABLE
CIB-IDC40S-2D 20" (.51M) 40PIN-DRIVE CABLE




• 50 PIN DRIVE CABLES

CIB-IDC50S-2D 22" (.55M) IDC50PIN DUAL DRIVE SCSI INTERNAL
RIBBON CABLE
200095-03.5 3.5' (1.07M) IDC50 PIN TRIPLE DRIVE SCSI INTERNAL
RIBBON CABLE



• 68 PIN SCSI DRIVE CABLES

200252-01 1' (.30M) .050 68 POSITION M SCSI INTERNAL
RIBBON CABLE
201015-028 28" (.71M) .050 68 POSITION F-3 H50F SCSI INTERNAL
RIBBON CABLE





MONITOR/VIDEO CABLES

Cable/Shielding Type: HD DB15: 14 Conductor Molded,
Aluminum/Mylar Foil Shielding

Application: Extends distance from IBM/PC compatible
computers to monitor.

HD DB15 connectors for VGA/SVGA applications.

Custom lengths and pinouts available. RCA Connectors for VGA and
video application.



CIB-047-06 6' (1.8M) HD DB15 M/F VGA/SVGA MONITOR EXT. CABLE
CIB-047-10 10' (3.0M) HD DB15 M/F VGA/SVGA MONITOR EXT. CABLE
300017-LENGTH HD DB15 M/F VGA/SVGA VIDEO EXTENSION CABLE
300120-LENGTH HD DB15 M/M VGA/SVGA REPLACEMENT CABLE
CIB-5BNC-06 6' (1.8M) HD DB15 M-5 BNC VGA/SVGA MONITOR CABLE
CIB-047M-06 6' (1.8M) HD DB 15 M/M MONITOR SWITCH BOX CABLE
100120-01 1' (.30M) RCA-RCA PLUG VIDEO CABLE **NEW!**
100120-03 3' (.91M) RCA-RCA PLUG VIDEO CABLE **NEW!**
100120-06 6' (1.8M) RCA-RCA PLUG VIDEO CABLE **NEW!**
100120-15 15' (4.6M) RCA-RCA PLUG VIDEO CABLE **NEW!**
100120-25 25' (7.6M) RCA-RCA PLUG VIDEO CABLE **NEW!**

VIDEO SPLITTER

Application: For use with PC VGA/SVGA monitor signals.

Input Connectors: (1) HD DB15M

Output Connectors: (4) HD DB15F

SA-VS104 4 WAY VIDEO SPLITTER W/ 6' CABLE **NEW!**
(CIB-047-06 Cable Included)

MULTIMEDIA CABLES

Cables available for other soundcard and CD ROM drives. Call for details.

• AUDIO CABLES

16555-018 18" SOUNDBLASTER TO MPC2 AUDIO CABLE **NEW!**
16560-018 18" UNIVERSAL CD ROM AUDIO CABLE **NEW!**
16565-018 18" PRO-AUDIO TO MPC2 AUDIO CABLE **NEW!**
16570-018 18" MPC2 TO MPC2 AUDIO CABLE **NEW!**

• CD-ROM CABLES

CIB-IDC40S 18" HEADER 40 F CD ROM DATA CABLE
CIB-IDC50S-2D 22" HEADER 50 F CD ROM DATA CABLE

CUSTOM MULTIMEDIA CABLES

We can build virtually any monitor, video, audio, or data cable.


POWER CORDS

Approvals: UL/CSA

Application: Original equipment replacement or extending the distance of existing power cord.

• WALL TO POWER SUPPLY


CIB-015 6' (1.8M) PC POWER CORD - BLACK
CIB-015-10 10' (3.0M) PC POWER CORD - BLACK
CIB-015P 6' (1.8M) PC POWER CORD - GRAY



• POWER EXTENSION CORD

From wall to three-prong socket


CIB-014-10 10' (3.0M) POWER EXTENSION CORD - BLACK



• POWER EXTENSION CORDS

Power supply male-female


CIB-016 6' (1.8M) POWER SUPPLY EXTENSION CORD - BLACK
CIB-016P 6' (1.8M) POWER SUPPLY EXTENSION CORD - GRAY



POWER CORDS (continued)

• MONITOR POWER ADAPTER CORD

Adapts existing monitor cord to power supply



CIB-010-01	1' (.30M)	MONITOR POWER ADAPTER CORD - BLACK
CIB-010-06	6' (1.8M)	MONITOR POWER ADAPTER CORD - GRAY

DRIVE POWER CABLES

CIB-046	6"	"Y" DRIVE CABLE SPLITS POWER TO TWO DRIVES
CIB-046-3.5	3.5"	DRIVE POWER ADAPTER CABLE

CPU/PERIPHERAL SHARING

Input Connectors: (2) Mini Din 6 F, (1) Din 5 F, (1) HD DB15 F, (1) DB9 F

Output Connectors: Same as above per connected computer.

SA-CS104	MASTER VIEW CPU SHARING SWITCH 1 MONITOR/KEYBOARD/MOUSE TO 4 COMPUTERS
----------	---

VIDEO SPLITTER

Application: For PC VGA/SVGA Monitor signals

Input Connectors: (1) HD DB15 M

Output Connectors: (4) HD DB15 F

SA-VS104	4 WAY VIDEO SPLITTER W/ 6' CABLE (CIB-047-06 Cable Included)
----------	---

MAC CABLES

APPLE MACINTOSH® CABLES


• SERIAL PRINTER/PERIPHERAL CABLES

Connectors: Mini Din 8 M/M

Cable/Shielding Type: Molded 8 conductor - Aluminum/Mylar Foil Shielding

Apple Part Number Reference: M0197

Application: Connecting Macintosh series and compatible computers to compatible serial printers & peripherals



- CMA-025-06 6' (1.8M) PRINTER/PERIPHERAL CABLE
- CMA-025-10 10' (3.0M) PRINTER/PERIPHERAL CABLE
- CMA-025-25 25' (7.6M) PRINTER/PERIPHERAL CABLE
- CMA-025-50 50' (15.2M) PRINTER/PERIPHERAL CABLE


• SERIAL PRINTER CABLES

Connectors: Mini Din 8 M - DB25 M

Cable/Shielding Type: Molded 5 conductor - Aluminum/Mylar Foil Shielding

Apple Part Number Reference: A2C0312

Application: Connecting Macintosh series and compatible computers to Imagewriter I/DB25 serial port printers



- CMA-024-06 6' (1.8M) HP SERIAL PRINTER CABLE


• SERIAL MODEM CABLES

Connectors: Mini Din 8 M - DB25 M

Cable/Shielding Type: Molded 5 conductor - Aluminum/Mylar Foil Shielding

Apple Part Number Reference: A2C0314

Application: Connecting Macintosh and compatible computers to all Hayes compatible hardware handshaking modems. Supports 33.6/14.4 hardware handshaking and DCD.




- CMA-023H-06 6' (1.8M) MODEM CABLE
- CMA-023H-10 10' (3.0M) MODEM CABLE

• MACINTOSH TO PC COMMUNICATION CABLE

Connector: Mini Din 8 M - DB9 F

Cable/Shielding Type: Molded 5 conductor - Aluminum/Mylar Foil Shielding

Application: Macintosh series and compatible computers to IBM/PC compatible computers for communication.



- CMA-056-10 10' (3.0M) MAC TO PC COMMUNICATION CABLE

APPLE MACINTOSH CABLES (continued)


• SERIAL EXTENSION/SWITCHBOX CABLES

Connectors: Mini Din 8

Cable/Shielding Type: Molded 8 conductor - Aluminum/Mylar Foil Shielding

Connected Pins: All 8 lines - straight through

Application: Extends the distance of peripherals from Macintosh series and compatible computers.




CMA-037M-06	6' (1.8M)	M/M SWITCHBOX/SERIAL EXTENSION CABLE
CMA-037M-10	10' (3.0M)	M/M SWITCHBOX/SERIAL EXTENSION CABLE
CMA-040F-06	6' (1.8M)	M/F SERIAL EXTENSION CABLE
CMA-040F-10	10' (3.0M)	M/F SERIAL EXTENSION CABLE

• APPLE DESKTOP BUS (ADB) CABLES

Connectors: Mini Din 4

Cable/Shielding Type: Molded 4 conductor - Aluminum/Mylar Foil Shielding

Application: Connecting Macintosh series and compatible computers ADB port to peripherals.







CMA-ADB-06	6' (1.8M)	M/M APPLE DESKTOP BUS (ADB) CABLE
CMA-ADBX-06	6' (1.8M)	M/F ADB EXTENSION CABLE
CMA-ADB-Y	6" (.15M)	M/2F ADB SPLITTER CABLE

• MONITOR/VIDEO CABLES & ADAPTERS

Custom lengths and cables for any application available. Call for details.

Our premium Macintosh monitor cables meet all Macintosh specifications using three mini coax, double shielded wire.



CMA-053-06	6' (1.8M)	DB15 M/F PREMIUM MAC MONITOR EXTENSION CABLE
CMA-053M-06	6' (1.8M)	DB15 M/M MAC VIDEO REPLACEMENT CABLE
CIB-DB15MF-06	6' (1.8M)	DB15 M/F ECONOMY MAC MONITOR CABLE
CIB-DB15MM-06	6' (1.8M)	DB15 M/M ECONOMY MAC VIDEO REPLACEMENT CABLE
CMA-4BNC-06	6' (1.8M)	DB15M-4BNC (640X480) MONITOR CABLE
300066-06	6' (1.8M)	DB15M-5BNC (1024X768) MONITOR CABLE
93615-05	5' (1.5M)	MINI DIN 8 M-MINI DIN 4 M, 2 RCA PLUGS, DC JACK S-VIDEO CABLE- BLACK
93616-05	5' (1.5M)	MINI DIN 8 M-MINI DIN 4 M, 2 RCA PLUGS, DC JACK S-VIDEO CABLE- GRAY
300039-LENGTH		DB15 M/F MAC VIDEO EXTENSION CABLE
300435-02.5	2.5' (.76M)	DB15M-13W3F MAC VIDEO CABLE
300032-01	1' (.30M)	DB15F-HD DB15M MAC TO SONY 20" MONITOR
300251-06	6' (1.8M)	DB15M-4BNC MACTO RADIUS 17" MONITOR
100014-01	1' (.30M)	DB15M-2DB15F MAC VIDEO "Y" CABLE
300127-06	6' (1.8M)	DB15M-3BNC 1152X870 MAC TO MONITOR CABLE
300161-06	6' (1.8M)	DB15M-4BNC 1152X870 MAC TO MONITOR CABLE
300084-06	6' (1.8M)	DB15M-5BNC 1152X870 MAC TO MONITOR CABLE
CMA-075		DB15M-HD DB15 F UNIVERSAL MAC VGA VIDEO ADAPTER


APPLE MACINTOSH NETWORKING

Applications: Macintosh series and compatible computers to other Macintosh computers and peripherals in a daisy chain network.

• PHONENET® COMPATIBLE NETWORK KITS


100% PhoneNET® compatible and Farallon® licensed network kit (Farallon part number PN308).

- CMA-APMD8 Mini Din 8 SYSNET CONNECTOR KIT, Kit includes Transceiver, Terminator, and 7' (2.1M) phone cord.
- CMA-3MDRJ 6' (1.8M) MINI DIN 3 M-RJ11 SYSNET TO LOCALTALK ADAPTER CABLE
- CMA-APTERM SYSNET TERMINATOR
- CMA-LOCMD8 MINI DIN 8 PIN LOCTALK*CONNECTOR KIT (100% LOCALTALK COMPATIBLE) INCLUDES TRANSCEIVER AND CABLE.



• LOCALTALK™ EXTENDER CABLES

- CMA-044-12 12' (3.7M) MINI DIN 3 M/M LOCTALK EXTENDER CABLE
- CMA-044-25 25' (7.6M) MINI DIN 3 M/M LOCTALK EXTENDER CABLE
- CMA-044-50 50' (15.2M) MINI DIN 3 M/M LOCTALK EXTENDER CABLE



• ETHERNET TRANSCEIVERS

- CMA-081 AAUI-BNC ETHERNET TRANSCEIVER KIT*
 - CMA-082 AAUI-RJ45 ETHERNET TRANSCEIVER KIT*
- * KIT INCLUDES 6' (1.8M) 10 BASE T CABLE


ECONOMY MACINTOSH SCSI CABLES

Connectors: Drive: DB25 M-Centronics 50 M Peripheral: Centronics 50 M/M Cable/Shielding Type: Molded 25 conductor - Aluminum/Mylar Foil Shielding Applications: Macintosh series and compatible computers to SCSI drive and peripheral devices.

Not recommended for total distances of more than 6' or in high noise environments.


• STANDARD SCSI SYSTEM DRIVE CABLES

- CMA-026-02 2' (.61M) DB25M-CENTRONICS 50 M SYSTEM DRIVE CABLE
- CMA-026-03 3' (.91M) DB25M-CENTRONICS 50 M SYSTEM DRIVE CABLE
- CMA-026-06 6' (1.8M) DB25M-CENTRONICS 50 M SYSTEM DRIVE CABLE



• STANDARD SCSI PERIPHERAL CABLES

- CMA-027-02 2' (.61M) CENTRONICS 50 M/M PERIPHERAL CABLE
- CMA-027-03 3' (.91M) CENTRONICS 50 M/M PERIPHERAL CABLE
- CMA-027-06 6' (1.8M) CENTRONICS 50 M/M PERIPHERAL CABLE



PREMIUM MACINTOSH SCSI CABLES

Premium SCSI cables meet Apple's specifications. We recommend using premium SCSI cables for all Macintosh SCSI applications.

Connectors: Drive: DB25 M-Centronics 50 M Peripheral: Centronics 50 M/M

Cable/Shielding Type: Molded 19 Twisted Pair - Aluminum Foil/Copper Braid Shielding

Application: Macintosh series computers to SCSI drive and peripheral devices.





• PREMIUM SYSTEM DRIVE CABLES

CMA-026P-02	2' (.61M)	DB25M - CENTRONICS 50 M SYSTEM DRIVE CABLE	
CMA-026P-03	3' (.91M)	DB25M - CENTRONICS 50 M SYSTEM DRIVE CABLE	
CMA-026P-06	6' (1.8M)	DB25M - CENTRONICS 50 M SYSTEM DRIVE CABLE	

• PREMIUM DB25 SYSTEM DRIVE CABLES

CMA-071P-02	2' (.61M)	DB25M/M SYSTEM DRIVE CABLE	
CMA-071P-03	3' (.91M)	DB25M/M SYSTEM DRIVE CABLE	



• PREMIUM SCSI PERIPHERAL CABLES

CMA-027P-01	1' (.30M)	CENTRONICS 50M/M PERIPHERAL CABLE	
CMA-027P-02	2' (.61M)	CENTRONICS 50M/M PERIPHERAL CABLE	
CMA-027P-03	3' (.91M)	CENTRONICS 50M/M PERIPHERAL CABLE	
CMA-027P-06	6' (1.8M)	CENTRONICS 50M/M PERIPHERAL CABLE	

• PREMIUM SCSI EXTENDER CABLES

CMA-028P-06	6' (1.8M)	CENTRONICS 50 M/F EXTENDER CABLE	 
-------------	-----------	----------------------------------	---






• MACINTOSH SCSI-2 CABLES

56103-03	3' (.91M)	AMP .050 50 POSITION M-DB25M SCSI-2 SYSTEM DRIVE CABLE - <i>NEW!</i>	
57103-03	3' (.91M)	AMP .050 50 POSITION M-DB25M SCSI-2 SYSTEM DRIVE CABLE <i>NEW!</i>	

• POWERBOOK SCSI CABLES/ADAPTER

Cable/Shielding Type: Molded 25 conductor - Aluminum Mylar Foil/Copper Braid Shielding

Application: Macintosh PowerBook series computers to SCSI drive and peripheral devices.

CMA-076-02	2' (.61M)	DB25 M-HDI30 POWERBOOK DRIVE CABLE	
CMA-077-02	2' (.61M)	CENTRONICS 50 M-HDI-30 SYSTEM CABLE	
56104-01.5	1.5' (.46M)	.050 50 POSITION M-HDI-30 SCSI-2 CABLE	
CMA-080		DB25 F-HDI-30 POWERBOOK SCSI DOCK ADAPTER	
CMA-D25PC50S		CENTRONICS 50 F-DB25 M SCSI ADAPTER	



PREMIUM MACINTOSH SCSI CABLES (continued)

• SCSI TERMINATORS

Application: Macintosh & PowerBook series computers to SCSI drive and peripheral devices. We recommend using active terminators on all high speed Macintosh SCSI applications.

CMA-038	CENTRONICS 50 PASS THROUGH PASSIVE TERMINATOR
CMA-038-SS	CENTRONICS 50 SINGLE SIDED PASSIVE TERMINATOR
CMA-039-SS	DB25 M SINGLE SIDED PASSIVE SCSI TERMINATOR
CMA-038-FPT	CENTRONICS 50 M FORCED PERFECT TERMINATOR <i>NEW!</i>
CIB-S2-TERMA	.050 50 POSITION SCSI-2 ACTIVE TERMINATOR

OLDER MODEL MACINTOSH CABLES

• MACINTOSH 128/512K CABLES



Connectors: DB9 M - DB25 M Modem/Printer: DB9 M - Mini Din 8 M

Cable/Shielding Type: Imagewriter I: 5 conductor

ImagewriterII/Hayes Modem: 7 conductor - Aluminum/Mylar Foil Shielding

Application: Macintosh 128/512K series computers to printers and Hayes® compatible modems.

120020-06	6' (1.8M)	DB9M-DB25M MAC128/512K TO MODEM CABLE
120019-06	6' (1.8M)	DB9M-DB25M MAC128/512K TO IMAGEWRITER I CABLE
120021-06	6' (1.8M)	DB9M-MINI DIN 8 M MAC128/512K TO IMAGEWRITER II/MODEM






• APPLE IIC/IIIE PRINTER/MODEM CABLES

Cable/Shielding Type: Imagewriter I: 4 conductor

Imagewriter II/Modem: 5 conductor Aluminum Mylar Foil Shielding

Application: Apple Iic & Laser 128 series computers to printers and peripheral devices.

120032-06	6' (1.8M)	DIN 5M-DB25M APPLE IIC TO MODEM CABLE
120030-06	6' (1.8M)	DIN 5M-DB25M APPLE IIC TO IMAGEWRITER I CABLE
120031-06	6' (1.8M)	DIN 5M-MINI DIN 8M APPLE IIC TO IMAGEWRITER II CABLE
CIB-004-06	6' (1.8M)	DB25M/M APPLE IIE TO IMAGEWRITER I/MODEM CABLE
120033-06	6' (1.8M)	DB25M-MINI DIN 8M APPLE IIE TO IMAGEWRITER II CABLE




WORKSTATION / SCSI

SUN WORKSTATION

• VIDEO CABLES/ADAPTERS


Connectors: 13W3 M/F - HD DB15, BNC
 Cable/Shielding Type: 4 Coax 4 conductor 75 OHM - Aluminum Mylar
 Foil/Copper Braid Shielding



59001-04	4' (1.2M)	13W3 M/M VIDEO CABLE
59001-15	15' (4.6M)	13W3 M/M VIDEO CABLE
59002-06	6' (1.8M)	13W3 M-4 BNC VIDEO CABLE
59003-06	6' (1.8M)	13W3 M/F VIDEO EXTENSION CABLE
59004-01	1' (.30M)	13W3 M-HD DB15 F VGA MONITOR ADAPTER
300101-LENGTH		13W3 TO 3 BNC VIDEO CABLE

• KEYBOARD REPLACEMENT CABLES


Connectors: Mini Din 8 M



59601-06	6' (1.8M)	MINI DIN 8 M/M KEYBOARD REPLACEMENT CABLE
59601-10	10' (3.0M)	MINI DIN 8 M/M KEYBOARD REPLACEMENT CABLE
59601-15	15' (4.6M)	MINI DIN 8 M/M KEYBOARD REPLACEMENT CABLE

• KEYBOARD EXTENSION CABLES


Connectors: Mini Din 8 M/F




59602-06	6' (1.8M)	MINI DIN 8 M/F KEYBOARD EXTENSION CABLE
59602-10	10' (3.0M)	MINI DIN 8 M/F KEYBOARD EXTENSION CABLE

• SERIAL EXTENSION/COMMUNICATION CABLES

Connectors: Mini Din 8 M - DB25 M/F



54001M-01	1' (.30M)	MINI DIN 8 M TO DB25 F SUN IPC/IPX ADAPTER
CIB-006M-10	10' (3.0M)	DB25 M/M SUN SERIAL CABLE
CIB-004-06	6' (1.8M)	DB25 M/M 25 CONDUCTOR CABLE
CIB-004-10	10' (3.0M)	DB25 M/M 25 CONDUCTOR CABLE
54002-10	10' (3.0M)	DB25 M/M SUN TO LASERJET CABLE
54002-15	15' (4.6M)	DB25 M/M SUN TO LASERJET CABLE
54002-25	25' (7.6M)	DB25 M/M SUN TO LASERJET CABLE



• PRINTER CABLES

Connectors: DB26 M - Centronics 36 Pin M

100652-06	6' (1.8M)	DB26 M-CENTRONICS 36 PIN M PRINTER CABLE
100652-10	10' (3.0M)	DB26 M-CENTRONICS 36 PIN M PRINTER CABLE


SUN SCSI CABLES

Cable/Shielding Type: 25 Pair - Aluminum/Mylar Foil & Copper Braid Shielding Madison wire

• DB50 MALE TO CENTRONICS 50 MALE CABLES

Connectors: DB50 M - Centronics 50 M


CIB-D50MC50M-03	3' (.91M)	DB50 M-CENTRONICS 50 M SCSI CABLE
CIB-D50MC50M-06	6' (1.8M)	DB50 M-CENTRONICS 50 M SCSI CABLE



• DB50 MALE - MALE CABLES

Connectors: DB 50 M/M

CIB-D50MM-01	1' (.30M)	DB50 M/M SCSI CABLE
CIB-D50MM-03	3' (.91M)	DB50 M/M SCSI CABLE
CIB-D50MM-06	6' (1.8M)	DB50 M/M SCSI CABLE




SILICON GRAPHICS® WORKSTATIONS

• KEYBOARD CABLES

Connectors: Mini Din 6 M/F

Cable/Shielding Type: Molded 6 conductor - Aluminum Mylar Foil Shielding

CIB-048-06	6' (1.8M)	MINI DIN 6 M/F KEYBOARD/MOUSE EXT. CABLE
CIB-048-10	10' (3.0M)	MINI DIN 6 M/F KEYBOARD/MOUSE EXT. CABLE




• MODEM CABLES

Connectors: Mini Din 8 M - DB25 M

Cable/Shielding Type: Molded 5 conductor - Aluminum/Mylar Foil Shielding

CMA-023H-06	6' (1.8M)	MODEM CABLE
CMA-023H-10	10' (3.0M)	MODEM CABLE




• SERIAL PRINTER CABLE

Connectors: Mini Din 8 M - DB25 M

Cable/Shielding Type: Molded 5 conductor - Aluminum/Mylar Foil Shielding

CMA-024-06	6' (1.8M)	HP/SERIAL PRINTER CABLE
------------	-----------	-------------------------




• EXTENSION CABLES

Connectors: DB25 M/F

Cable/Shielding Type: Molded 25 conductor - Aluminum/Mylar Foil Shielding

Connected pins: All 25 lines - straight through

CIB-005-06	6' (1.8M)	DB25 M/F EXTENSION CABLE
CIB-005-10	10' (3.0M)	DB25 M/F EXTENSION CABLE




ONYX WORKSTATION CABLES

• MODEM CABLES

Connectors: DB9 F-DB25 M

Cable/Shielding Type: Molded 9 conductor - Aluminum/Mylar Foil Shielding

CIB-008-06	6' (1.8M)	DB9 F-DB25 M MODEM/ADAPTER CABLE
CIB-008-10	10' (3.0M)	DB9 F-DB25 M MODEM/ADAPTER CABLE




• PRINTER CABLES

Connectors: DB9 F-DB25 M

Cable/Shielding Type: Molded 9 conductor - Aluminum/Mylar Foil Shielding

CIB-036-10	10' (3.0M)	DB9 F-DB25 M NULL MODEM/PRINTER CABLE
CIB-036-25	25' (7.62M)	DB9 F-DB25 M NULL MODEM/PRINTER CABLE



SCSI-1 CABLES

• CENTRONICS 50 MALE - MALE CABLES

Connectors: Centronics 50 M/M

Cable/Shielding Type: Molded 25 Pair - Aluminum/Mylar Foil & Copper Braid
Shielding Madison wire

CIB-C50MM-01	1' (.30M)	CENTRONICS 50 M/M SCSI CABLE
CIB-C50MM-01.5	1.5' (.46M)	CENTRONICS 50 M/M SCSI CABLE
CIB-C50MM-03	3' (.91M)	CENTRONICS 50 M/M SCSI CABLE
CIB-C50MM-06	6' (1.8M)	CENTRONICS 50 M/M SCSI CABLE
CIB-C50MM-07	7' (2.1M)	CENTRONICS 50 M/M SCSI CABLE
CIB-C50MM-13	13' (3.9M)	CENTRONICS 50 M/M SCSI CABLE

• INTERNAL RIBBON CABLES

CIB-IDC50S	20"	IDC50PIN - IDC50PIN SCSI DRIVE CABLE
CIB-IDC50S-2D	22"	IDC50PIN - IDC50PIN - IDC50PIN DUAL SCSI DRIVE CABLE
200095-03.5	3.5'	IDC50PIN - IDC50PIN - IDC50PIN - IDC50PIN - IDC50PIN SIX DRIVE SCSI CABLE
200252-018	18"	.050 68 POSITION M/M SCSI-3 DRIVE CABLE
400157-02.5	2.5'	.050 68 POSITION M/M/M SCSI-3 DUAL DRIVE CABLE
400157-03.5	3.5'	.050 68 POSITION M/M/M SCSI-3 THREE DRIVE CABLE

SCSI-2 CABLES

Cable/Shielding Type: 25 Twisted Pair Wide Double Shielded SCSI Impedance
True SCSI Pairing

• STANDARD SCSI-2 TO SCSI-2 CABLES

Connectors: .050 50 position SCSI-2 type with latches

58100-03	3' (.91M)	.050 50 PIN M/M SCSI-2 CABLE
58100-06	6' (1.8M)	.050 50 PIN M/M SCSI-2 CABLE



SCSI-2 CABLES (continued)

• PREMIUM SCSI-2 TO SCSI-2 CABLES

Connectors: AMP .050 50 position SCSI-2 type with latches

56100-01	1' (.30M)	.050 50 PIN M/M SCSI-2 CABLE
56100-03	3' (.91M)	.050 50 PIN M/M SCSI-2 CABLE
56100-06	6' (1.8M)	.050 50 PIN M/M SCSI-2 CABLE



• STANDARD SCSI-2 TO SCSI-1 CABLES

Connectors: .050 50 position SCSI-2 type with latches & Centronics 50


58101-03	3' (.91M)	.050 50 PIN M - CENTRONICS 50 M SCSI CABLE
58101-06	6' (1.8M)	.050 50 PIN M - CENTRONICS 50 M SCSI CABLE



• PREMIUM SCSI-2 TO SCSI-1 CABLES

Connectors: AMP .050 50 position SCSI-2 type with latches & Centronics 50


56101-03	3' (.91M)	.050 50 PIN M - CENTRONICS 50 M SCSI CABLE
56101-06	6' (1.8M)	.050 50 PIN M - CENTRONICS 50 M SCSI CABLE



• PREMIUM SCSI-2 TO DB50 CABLES

Connectors: AMP .050 50 position SCSI-2 type with latches & DB 50


56102-03	3' (.91M)	.050 50 PIN M TO DB50 M SCSI CABLE
56102-06	6' (1.8M)	.050 50 PIN M TO DB50 M SCSI CABLE



• PREMIUM SCSI-2 TO DB25 CABLES

Connectors: AMP .050 50 position SCSI-2 type with latches & DB25

56103-03	3' (.91M)	.050 50 PIN M TO DB25M SCSI CABLE
----------	-----------	-----------------------------------



• SCSI-2 INTERNAL RIBBON CABLES

CIB-IDC50S	20" (.56M)	HEADER 50 PIN RIBBON CABLE
CIB-IDC50S-2D	22" (.56M)	HEADER 50 PIN DUAL DRIVE RIBBON CABLE
200095-03.5	3.5' (1.1M)	HEADER 50 PIN TRIPLE DRIVE CABLE
200095-05	5' (1.5M)	HEADER 50 PIN SIX DRIVE CABLE

MINI CENTRONICS TYPE SCSI-2 CABLES

Cable/Shielding Type: Molded & Assembled hoods, 25 Twisted Pair, Fast 20 Ultra, double shielded Madison wire

• MINI CENTRONICS 50 PIN SCSI-2 CABLES

Connectors: .050 Mini Centronics 50 Pin

- 400126-03 3' (.91M) MINI CENTRONICS 50 M/M SCSI-2 CABLE
- 400126-06 6' (1.8M) MINI CENTRONICS 50 M/M SCSI-2 CABLE



• MINI CENTRONICS 50 PIN SCSI-2 TO .050 50 POSITION SCSI-2 CABLES

Connectors: .050 Mini Centronics 50 Pin .050 50 Pin


- 400112-03 3' (.91M) MINI CENTRONICS SCSI-2 - .050 50 PIN SCSI-2 CABLE
- 400112-06 6' (1.8M) MINI CENTRONICS SCSI-2 - .050 50 PIN SCSI-2 CABLE



• MINI CENTRONICS 50 PIN SCSI-2 TO CENTRONICS 50 CABLES

Connectors: .050 Mini Centronics 50 Pin Centronics 50 Pin

- 400089-03 3' (.91M) MINI CENTRONICS 50 SCSI-2 CABLE
- 400089-06 6' (1.8M) MINI CENTRONICS 50 SCSI-2 CABLE



rs6000 60/68 pin cables

Cable/Shielding Type: 25/34 Twisted Pair, double shielded, Madison SCSI wire

• MINI CENTRONICS 60 PIN SCSI-2 TO SCSI-3 CABLES

Connectors: .050 50 Position M - Mini Centronics 60 Pin


- 56309-03 3' (.91M) MINI CENTRONICS 60 M TO 68 POS. SCSI-3 M CABLE
- 56309-05 5' (1.5M) MINI CENTRONICS 60 M TO 50 POS. SCSI-3 M CABLE



• MINI CENTRONICS 60 PIN SCSI-2 TO SCSI-2 CABLES

Connectors: .050 50 Position M - Mini Centronics 60 Pin


- 56303-03 3' (.91M) MINI CENTRONICS 60 M TO 50 POS. SCSI-2 M CABLE
- 56303-06 5' (1.5M) MINI CENTRONICS 60 M TO 50 POS. SCSI-2 M CABLE



• MINI CENTRONICS 60 PIN SCSI-2 TO DB 50 CABLES

Connectors: DB50 M - MINI Centronics 60 Pin


- 56302-03 3' (.91M) MINI CENTRONICS 60 M TO DB50 M SCSI CABLE
- 56302-05 5' (1.5M) MINI CENTRONICS 60 M TO DB50 M SCSI CABLE



• MINI CENTRONICS 60 PIN SCSI-2 TO SCSI-1 CABLES

Connectors: Centronics 50 M - Mini Centronics 60 Pin

- 56301-05 5' (1.5M) MINI CENTRONICS 60 M TO CENTRONICS 50 M SCSI CABLE




RS6000 60/68 PIN CABLES (continued)

• MINI CENTRONICS 68 PIN SCSI-3 TO SCSI-3 CABLES

Connectors: Mini Centronics 68 M - .050 68 Pin M

56609-03 3' (.91M) MINI CENTRONICS 68 M TO 68 PIN SCSI-3 CABLE




• MINI CENTRONICS 68 PIN SCSI-3 TO SCSI-2 CABLES

Connectors: Mini Centronics 68 M - .050 50 Pin M

56608-03 3' (.91M) MINI CENTRONICS 68 M TO 50 POS. SCSI-2 M CABLE

56608-05 5' (1.5M) MINI CENTRONICS 68 M TO 50 POS. SCSI-2 M CABLE




• MINI CENTRONICS 68 PIN SCSI-3 TO DB50 CABLES

Connectors: Mini Centronics 68 M - DB 50 M

56602-03 3' (.91M) MINI CENTRONICS 68 M TO DB50 M SCSI CABLE

56602-05 5' (1.5M) MINI CENTRONICS 68 M TO DB50 M SCSI CABLE




• MINI CENTRONICS 68 PIN SCSI-3 TO SCSI-1 CABLES

Connectors: Mini Centronics 68M - Centronics 50M

56601-03 3' (.91M) MINI CENTRONICS 68 M TO CEN. 50 M SCSI CABLE

56601-05 5' (1.5M) MINI CENTRONICS 68 M TO CEN. 50 M SCSI CABLE



SCSI-3 CABLES

• PREMIUM SCSI-3 TO SCSI-3 CABLES

Connectors: AMP .050 68 Pin M/M

56400-03 3' (.91M) .050 68 PIN M/M SCSI-3 CABLE

56400-06 6' (1.8M) .050 68 PIN M/M SCSI-3 CABLE



• STANDARD SCSI-3 TO SCSI-3 CABLES

Connectors: .050 68 Pin M/M

57400-03 3' (9.1M) .050 68 PIN SCSI-3 M/M CABLE

57400-03 6' (1.8M) .050 68 PIN SCSI-3 M/M CABLE




• PREMIUM SCSI-3 TO SCSI-2 CABLES

Connectors: AMP .050 50 Pin - .050 68 Pin Male

56408-03 3' (.91M) .050 68 PIN SCSI-3 TO .050 50 PIN SCSI-2 CABLE

56408-06 6' (1.8M) .050 68 PIN SCSI-3 TO .050 50 PIN SCSI-2 CABLE




• STANDARD SCSI-3 TO SCSI-2 CABLES

Connectors: .050 50 Pin - .050 68 Pin Male

57408-03 3' (.91M) .050 68 PIN SCSI-3 TO .050 50 PIN SCSI-2 CABLE

57408-06 6' (1.8M) .050 68 PIN SCSI-3 TO .050 50 PIN SCSI-2 CABLE




SCSI-3 CABLES (continued)

• PREMIUM SCSI-3 TO SCSI-1 CABLES

Connectors: AMP .050 68 Pin - Centronics 50


56401-03	3' (.91M)	.050 68 PIN SCSI-3 TO CENTRONICS 50 SCSI-1 CABLE
56401-06	6' (1.8M)	.050 68 PIN SCSI-3 TO CENTRONICS 50 SCSI-1 CABLE



• STANDARD SCSI-3 TO SCSI-1 CABLES

Connectors: .050 68 Pin - Centronics 50


57401-03	3' (.91M)	.050 68 PIN SCSI-3 TO CENTRONICS 50 SCSI-1 CABLE
57401-06	6' (1.8M)	.050 68 PIN SCSI-3 TO CENTRONICS 50 SCSI-1 CABLE



• PREMIUM SCSI-3 TO DB25 CABLES

Connectors: AMP .050 68 Pin - DB25

56403-03	3' (.91M)	.050 68 PIN SCSI-3 TO DB25 M SCSI-1 CABLE
56403-06	6' (1.8M)	.050 68 PIN SCSI-3 TO DB25 M SCSI-1 CABLE




SCSI-3 8-BYTE TERMINATED

Cable/Shielding Type: 25/34 Pair, Madison Fast 20 Ultra, Aluminum/Mylar Foil & Copper Braid Shielding

• PREMIUM SCSI-3 TO SCSI-2 CABLES

Connectors: AMP .050 68 Pin SCSI-3 - .050 50 Pin SCSI-2


56418-03	3' (.91M)	.050 68 PIN M - .050 50 PIN M SCSI-3 CABLE UPPER 8 BYTES TERMINATED
56418-06	6' (.18M)	.050 68 PIN M - .050 50 PIN M SCSI-3 CABLE UPPER 8 BYTES TERMINATED



• STANDARD SCSI-3 TO SCSI-2 CABLES

Connectors: AMP .050 68 Pin SCSI-3 - .050 50 Pin SCSI


57418-03	3' (.91M)	.050 68 PIN M - .050 50 PIN M SCSI-3 CABLE UPPER 8 BYTES TERMINATED
57418-06	6' (.18M)	.050 68 PIN M - .050 50 PIN M SCSI-3 CABLE UPPER 8 BYTES TERMINATED



• PREMIUM SCSI-3 TO SCSI-1 CABLES

Connectors: AMP .050 68 Pin SCSI-3 - Centronics 50 M


56411-03	3' (.91M)	.050 68 PIN - CENTRONICS 50 M SCSI-3 CABLE UPPER 8 BYTES TERMINATED
56411-06	6' (1.8M)	.050 68 PIN - CENTRONICS 50 M SCSI-3 CABLE UPPER 8 BYTES TERMINATED



• STANDARD SCSI-3 TO SCSI-1 CABLES

Connectors: .050 68 Pin SCSI-3 - Centronics 50 M

57411-03	3' (.91M)	.050 68 PIN - CENTRONICS 50 M SCSI-3 CABLE UPPER 8 BYTES TERMINATED
57411-06	6' (1.8M)	.050 68 PIN - CENTRONICS 50 M SCSI-3 CABLE UPPER 8 BYTES TERMINATED



ULTRA-2 SCSI-3 CABLES

Cable/Shielding Type: 34 Twisted Pair, 30 AWG Wire, SCSI Impedance

• .8MM SCSI-3 TO .8MM SCSI-3 ULTRA-2 CABLES

Connectors: AMP .8MM 68 Position



56800-03 3' (.91M) .8MM 68 POSITION M/M SCSI-3 ULTRA-2 CABLE

56800-06 6' (1.8M) .8MM 68 POSITION M/M SCSI-3 ULTRA-2 CABLE

• .8MM SCSI-3 TO .050 SCSI-3 ULTRA-2 CABLES

Connectors: AMP .8MM 68 Position - .050 68 Pin




56809-03 3' (.91M) .8MM 68 POSITION M - .050 68 PIN SCSI-3 ULTRA-2 CABLE

56809-06 6' (1.8M) .8MM 68 POSITION M - .050 68 PIN SCSI-3 ULTRA-2 CABLE

• .8MM SCSI-3 TO SCSI-2 ULTRA-2 CABLES

Connectors: AMP .8mm 68 Position - .050 50 Pin SCSI-2




56808-03 3' (.91M) .8MM 68 POSITION M - 50 PIN SCSI-2 ULTRA-2 CABLE

56808-06 6' (1.8M) .8MM 68 POSITION M - 50 PIN SCSI-2 ULTRA-2 CABLE



• .8MM SCSI-3 TO CENTRONICS 50 ULTRA-2 CABLES

Connectors: AMP .8mm 68 Position - Centronics 50



56801-03 3' (.91M) .8MM 68 POS. M - CENTRONICS 50 M ULTRA-2 CABLE

56801-06 6' (1.8M) .8MM 68 POS. M - CENTRONICS 50 M ULTRA-2 CABLE




• .8MM SCSI-3 TO DB25

Connectors: AMP .8mm 68 Position - DB25



56803-03 3' (.91M) .8MM 68 POSITION M - DB25 MALE SCSI CABLE

56803-06 6' (1.8M) .8MM 68 POSITION M - DB25 MALE SCSI CABLE



• 68 POSITION SCSI INTERNAL FLAT RIBBON CABLES

Cable Type: .050 and .025 TPE Ribbon Fast 20 (Ultra) ready

200252-01 1' (.30M) .050 68 POSITION M SCSI INTERNAL RIBBON CABLE

400157-02.5 2.5' (.76M) .050 68 POSITION M/M DUAL DRIVE CABLE

400157-03.5 3.5' (1.1M) .050 68 POSITION M/M DUAL DRIVE CABLE

201015-028 28" (.71M) .050 68 POSITION F - 3 H50F SCSI INTERNAL RIBBONCABLE

400162-018 18" (.46M) .025 68 PIN F/F SCSI INTERNAL RIBBON CABLE


400164-01 1' (.30M) .025 68 PIN M - .025 68 PIN F PANEL MOUNT CABLE

IOMEGA®, ZIP & JAZ DRIVE CABLES

• SCSI ZIP DRIVE CABLES

Cable/Shielding Type: 19 Twisted Pair, Double Shielded

Connectors: DB25 M/M




CMA-071P-02 2' (.61M) PREMIUM DB25 SYSTEM DRIVE CABLE

CMA-071P-06 6' (1.8M) PREMIUM DB25 SYSTEM DRIVE CABLE

• PARALLEL ZIP DRIVE CABLES

Cable/Shielding Type: 25 Conductor Aluminum/Mylar Foil & Braid Shielding

Connectors: DB25 M/M



CIB-004-06 6' (1.8M) DB25 M/M 25 CONDUCTOR CABLE

CIB-004-10 10' (1.8M) DB25 M/M 25 CONDUCTOR CABLE

• JAZ DRIVE SCSI CABLES

Cable/Shielding Type: 25 Twisted Pair, Aluminum/Mylar Foil & Braid Shielding

Connectors: .050 50 Pin SCSI-2 M/M



58100-03 3' (.91M) .050 50 PIN M/M SCSI-2 CABLE

58100-06 6' (1.8M) .050 50 PIN M/M SCSI-2 CABLE

SCSI TERMINATORS

• CENTRONICS 50 TERMINATORS

CMA-038 CENTRONICS 50 M/F PASSIVE - FLOW THROUGH

CMA-038A CENTRONICS 50 M/F ACTIVE - FLOW THROUGH

CMA-038-SS CENTRONICS 50 M - PASSIVE - SINGLE SIDED

CMA-038-SSV CENTRONICS 50 M - ACTIVE - SINGLE SIDED

CMA-038-SSD CENTRONICS 50 M - DIFFERENTIAL - SINGLE SIDED

CMA-038-FPT CENTRONICS 50 M - FORCED PERFECT W/ ACTIVE NEGATION

• DB25 TERMINATORS

CMA-039-SS DB25 M - PASSIVE - SINGLE SIDED

CMA-039 DB25 M/F - PASSIVE - FLOW THROUGH

• SCSI-2 TERMINATORS

CIB-S2-TERMA .050 50 POSITION M - ACTIVE - SINGLE SIDED W/ LED

CIB-S2-TERMD .050 50 POSITION M - DIFFERENTIAL - SINGLE SIDED W/ LED

CIB-S2-FPT .050 50 POSITION M - FORCED PERFECT - SINGLE SIDED W/ ACTIVE NEGATION - LED

• SCSI-3 TERMINATORS

CIB-S3-TERMA .050 68 POSITION -ACTIVE-SINGLE SIDED W/LED

CIB-S3-TERMD .050 68 POSITION -DIFFERENTIAL - SINGLE SIDED W/LED

CIB-S3-FPT .050 68 POSITION - FORCED PERFECT- SINGLE SIDED W/ACTIVE NEGATION - LED

• INTERNAL TERMINATORS

CIB-H50A HEADER 50 ACTIVE - INTERNAL

SCSI ADAPTERS


16400-00	.050 68 PIN M - HEADER 50 M
16401-00	.050 68 PIN M - HEADER 50 F
16402-00	.050 68 PIN F - HEADER 50 M
16403-00	.050 68 PIN F - HEADER 50 F
16404-00	CENTRONICS 50 F - .050 50 PIN F
CMA-D25PC50S	CENTRONICS 50 F - DB25 M

NETWORKING

ETHERNET

CATEGORY 5 PATCH CABLES

Color: Wire color gray.



JT6464-01	1' (.30M)	CATEGORY 5 PATCH CABLE*
JT6464-02	2' (.61M)	CATEGORY 5 PATCH CABLE*
JT6464-03	3' (.91M)	CATEGORY 5 PATCH CABLE
JT6464-04	4' (1.2M)	CATEGORY 5 PATCH CABLE*
JT6464-05	5' (1.5M)	CATEGORY 5 PATCH CABLE*
JT6464-07	7' (2.1M)	CATEGORY 5 PATCH CABLE
JT6464-10	10' (3.0M)	CATEGORY 5 PATCH CABLE
JT6464-14	14' (4.3M)	CATEGORY 5 PATCH CABLE
JT6464-25	25' (7.6M)	CATEGORY 5 PATCH CABLE*

*indicates a made to order length.

• COLOR CODED CATEGORY 5 PATCH CABLES

80300-07	7' (2.1M)	CATEGORY 5 PATCH CABLE - BLUE
80300-14	14' (4.3M)	CATEGORY 5 PATCH CABLE - BLUE
80301-07	7' (2.1M)	CATEGORY 5 PATCH CABLE - GREEN
80301-14	14' (4.3M)	CATEGORY 5 PATCH CABLE - GREEN
80302-07	7' (2.1M)	CATEGORY 5 PATCH CABLE - YELLOW
80302-14	14' (4.3M)	CATEGORY 5 PATCH CABLE - YELLOW
80303-07	7' (2.1M)	CATEGORY 5 PATCH CABLE - RED
80303-14	14' (4.3M)	CATEGORY 5 PATCH CABLE - RED

• RG58 COAXIAL CABLES

CIB-RG58-03	3' (.91M)	RG58 ETHERNET COAX CABLE
CIB-RG58-06	6' (1.8M)	RG58 ETHERNET COAX CABLE
CIB-RG58-10	10' (3.0M)	RG58 ETHERNET COAX CABLE
CIB-RG58-15	15' (4.6M)	RG58 ETHERNET COAX CABLE
CIB-RG58-25	25' (7.6M)	RG58 ETHERNET COAX CABLE
CIB-RG58-50	50' (15.2M)	RG58 ETHERNET COAX CABLE

• CUSTOM ETHERNET CABLES

Application: Ethernet network backbones and node connections.

HU5454-LENGTH	THINNET (IEEE 802.3) BNC M - BNC M
HY5454-LENGTH	RG58/U SOLID CORE BNC M - BNC M
HT5454-LENGTH	THINNET PLENUM BNC M - BNC M
J16464-LENGTH	UTP 2 PAIR, LEVEL 3 (10 MB), SOLID CORE
JT6464-LENGTH	UTP 4 PAIR, LEVEL 5 FDDI (100 MB), SOLID CORE

• BNC CONNECTORS

CN-RG58C	BNC RG58 CRIMP ON
CN-RG58T	BNC RG58 TWIST ON
CN-BNC-T	BNC "T" CONNECTOR
CN-BNC-C	BNC FEMALE - FEMALE COUPLER
CN-BNC-50	BNC 50 OHM TERMINATOR
CN-BNC-50-G	BNC 50 OHM TERMINATOR WITH GROUND CHAIN

ROUTER/BRIDGE CABLES

• CISCO® 60 PIN CABLES

Application: Cisco 7000 Series, 4000 (4T) Series, 2500 Series

53001-10	10' (3.0M)	LFH 60 PIN - DB25 F RS232 DCE CABLE (Cisco P/N# 72-0794-01)
53002-10	10' (3.0M)	LFH 60 PIN - DB25 M RS232 DTE CABLE (Cisco P/N# 72-0793-01)
53003-10	10' (3.0M)	LFH 60 PIN - DB37 M RS449 CABLE (Cisco P/N# 72-0795-01)
53004-10	10' (3.0M)	LFH 60 PIN - V.35 F DTE CABLE (Cisco P/N# 72-0801-01)
53005-10	10' (3.0M)	LFH 60 PIN - V.35 F DCE CABLE (Cisco P/N# 72-0792-01)
53006-10	10' (3.0M)	LFH 60 PIN - V.35 M DTE CABLE (Cisco P/N# 72-0791-01)*

* Can be used on all Cisco routers in addition to the models listed above.

• CISCO EIA CABLES

Application: Cisco 7000 Series, 4000 (4T) Series, 2500 Series

53007-10	10' (3.0M)	CISCO 3000 EIA - RS449 CABLE (Cisco Model# CAB-3C449)
53008-10	10' (3.0M)	CISCO EIA - 530 CABLE (Cisco P/N# 72-0797-01)

• CISCO X.21 INTERFACE CABLES

Application: Cisco 7000 Series, 4000 (4T) Series, 2500 Series

53009-10	10' (3.0M)	LFH 60 PIN - DB15 M X.21 INTERFACE CABLE (Cisco P/N# 72-0789-01)
53010-10	10' (3.0M)	LFH 60 PIN - DB15 F X.21 INTERFACE CABLE (Cisco P/N# 72-0790-01)

• CISCO MODULAR ADAPTERS

Application: Cisco Access Servers 2509-2512

53012-00	RJ45-DB25 F DTE MODULAR ADAPTER (Cisco Model# CAB-25AS-FDTE)
53014-00	RJ45-DB25 M DCE MODULAR ADAPTER (Cisco Model# CAB-25AS MMOD)

ROUTER/BRIDGE CABLES (continued)

• CISCO RJ45 CABLES

Application: Cisco 2500 series, CS 500

53015-14 14' (4.3M) RJ45-RJ45 CABLE (Cisco P/N# 31-0590-01)

• 3COM® CONSOLE CABLES

53016-10 10' (3.0M) DB9-RJ45 WAN EXTENDER 2T/2E CABLE

53017-10 10' (3.0M) DB9-DB9 NETBUILDER BRIDGE ROUTER CABLE
(Also supports NETBuilder ISDN and Token Ring)

53018-10 10' (3.0M) DB12-DB9 NETBUILDER II BRIDGE ROUTER CABLE
(Also supports NETBuilder II ISDN and Token Ring)

53020-10 10' (3.0M) DB9-DB25 NETBUILDER MODEM CABLE
(Also supports NETBuilder II, SuperStack II)

53021-10 10' (3.0M) DB9-DB25 NETBUILDER II RS232 CABLE
(Also supports NETBuilder II and Token Ring)

• 3COM I/O MODULE CABLES

53022-02 2' (.61M) DB25 - V.35 PIGTAIL CABLE (3Com Cable ID# 07-0170-00-01)

53023-10 10' (3.0M) HSS - DB37 3 PORT MODULE CONNECTOR TO RS449 CABLE
(Supports Netbuilder II w/ HSS 3 Port RS-449 & X.21)

53024-10 10' (3.0M) HSS - DB15 3 PORT MODULE CONNECTOR TO X.21 CABLE
(Supports Netbuilder II w/ HSS 3 Port RS-449 & X.21)

53025-10 10' (3.0M) HSS - DB25 3 PORT MODULE CONNECTOR TO RS232 CABLE
(Supports NETBuilder II w/ HSS 3 Port RS232)

53026-10 10' (3.0M) HSS - V.35 3 PORT MODULE CONNECTOR TO V.35 CABLE
(Supports NETBuilder II w/ HSS 3 Port v.35)

• 3COM FLEX-WAN CABLES

53027-10 10' (3.0M) LFH 60 PIN - DB15 FLEX-WAN TO X.21 DTE CABLE

53028-10 10' (3.0M) LFH 60 PIN - V.35 FLEX WAN TO V.35 DTE CABLE

53029-10 10' (3.0M) LFH 60 PIN - V.35 FLEX WAN TO V.35 DCE CABLE

53030-10 10' (3.0M) LFH 60 PIN - DB25 FLEX WAN TO RS232 DTE CABLE

53031-10 10' (3.0M) LFH 60 PIN - DB25 FLEX WAN TO RS232 DCE CABLE

53032-14 14' (3.0M) RJ45 - RJ45 FLEX WAN ISDN RJ45 CABLE

• 3COM DIRECT CONNECT CABLES

53033-10 10' (3.0M) V.35 - V.35 DIRECT CONNECT CABLE

53034-10 10' (3.0M) USC TO RS449/V.36 DIRECT CONNECT CABLE

53035-10 10' (3.0M) USC TO V.35 DIRECT CONNECT CABLE

53036-10 10' (3.0M) USC TO RS232 DIRECT CONNECT CABLE

53037-10 10' (3.0M) DB25 - DB25 RS232 - RS232 DIRECT CONNECT CABLE

ROUTER/BRIDGE CABLES (continued)

• BAY NETWORKS® CONSOLE/MODEM CABLES

53040-25	25' (7.6M)	DB25 - RS232 CONSOLE MODEM CABLE (BN Model #7525)
53041-25	25' (7.6M)	DB9 - RS232 AFN/AN CONSOLE CABLE (BN Model #7526)
53042-15	15' (4.5M)	DB9 - RS232 BLN/BLN - 2/BCN CONSOLE MODEM CABLE (BN Model #7825)
53043-25	25' (7.6M)	DB25 - RS232 BLN/BLN - 2/BCN CONSOLE MODEM CABLE (BN Model #77850)

• BAY NETWORKS LOCAL AREA NETWORK CABLES

53044-15	15' (4.6M)	16 PIN AUI - 16 PIN AUI XCVR INTERFACE CABLE (BN Model# 7115)
53045-15	15' (4.6M)	DB9 - DATA CONNECTOR MAU INTERFACE CABLE (BN Model # 7125)
53046-15	15' (4.6M)	DB9 - DATA CONNECTOR MAU INTERFACE CABLE W/ FERRITE (BN Model # 7126)
53047-15	15' (4.6M)	DB9 - RJ11 MAU INTERFACE CABLE (BN Model # 7128)

• BAY NETWORKS SYNCHRONOUS CABLES

53048-15	15' (4.6M)	DB15 - V.35 NON DTR WAN CONNECTION (BN Model #7215)
53049-15	15' (4.6M)	DB15 - V.35 DCE CONNECTION CABLE (BN Model #7216)
53050-15	15' (4.6M)	DB15 - DB25 DTE CONNECTION CABLE (BN Model #7218)
53051-15	15' (4.6M)	DB15 - V.35 DTE CONNECTION CABLE (BN Model #7219)
53052-15	15' (4.6M)	DB44 - V.35 WAN CONNECTION CABLE (BN Model #7220)
53053-15	15' (4.6M)	DB15 - DB15 x.21 WAN CONNECTION CABLE (BN Model #7221)
53054-15	15' (4.6M)	DB44 - D15 X.21 WAN CONNECTION CABLE (BN Model #7224)
53055-15	15' (4.6M)	DB15 - DB25 WAN CONNECTION CABLE (BN Model #7255)
53056-15	15' (4.6M)	DB15 - DB25 WAN CONNECTION CABLE (BN Model #7256)
53057-15	15' (4.6M)	DB15 - DB15 CROSS OVER CABLE (BN Model #7260)
53058-15	15' (4.6M)	DB15 - DB37 WAN CONNECTION CABLE (BN Model #7315)
53059-15	15' (4.6M)	DB44 - DB37 WAN CONNECTION CABLE (BN Model #7318)
53060-15	15' (4.6M)	DB44 - DB25 WAN CONNECTION CABLE (BN Model #7826)
53061-15	15' (4.6M)	DB44 - DB25 RS232 PASS THROUGH CABLE (BN Model # 7833)
53062-15	15' (4.6M)	DB44 - V.35 PASS THROUGH CABLE (BN Model #7834)
53063-15	15' (4.6M)	DB44 - DB44 V.35 CROSS OVER CABLE (BN Model #7835)
53064-15	15' (4.6M)	DB44 - DB15 V.35 CROSS OVER CABLE (BN Model #7836)
53065-15	15' (4.6M)	DB44 - DB25 WAN CONNECTION CABLE (BN Model #7837)

ETHERNET TRANSCEIVER CABLES

• AAUI ETHERNET TRANSCEIVERS (MACINTOSH)

CMA-081	AAUI - BNC ETHERNET TRANSCEIVER
CMA-082	AAUI - RJ45 ETHERNET TRANSCEIVER


• OFFICE TRANSCEIVER CABLES

Connectors: DB15 M/F

Cable/Shielding Type: Molded 8 conductor (4 Pair) - Aluminum/Mylar Foil Shielding

Application: Ethernet network backbones and node connections.

CIB-OFTRAN-01M	3.3' (1M)	OFFICE TRANSCEIVER CABLE
CIB-OFTRAN-02M	6.6' (2M)	OFFICE TRANSCEIVER CABLE
CIB-OFTRAN-03M	9.8' (3M)	OFFICE TRANSCEIVER CABLE



ETHERNET TRANSCEIVER CABLES (continued)

• TRANSCEIVER CABLES

CIB-TRANS-01M	3.3' (1M)	TRANSCEIVER CABLE
CIB-TRANS-02M	6.6' (2M)	TRANSCEIVER CABLE
CIB-TRANS-03M	9.8' (3M)	TRANSCEIVER CABLE
CIB-TRANS-04M	13.1' (4M)	TRANSCEIVER CABLE
CIB-TRANS-05M	16.4' (5M)	TRANSCEIVER CABLE
CIB-TRANS-10M	32.8' (10M)	TRANSCEIVER CABLE
CIB-TRANS-20M	65.6' (20M)	TRANSCEIVER CABLE

DIGIBOARD® CABLES

• EXTENSION CABLES

500432-06	6' (1.8M)	DB78 M/F OCTO EXTENSION CABLE (DIGI # 6024XXXX)
500432-10	10' (3.0M)	DB78 M/F OCTO EXTENSION CABLE (DIGI # 6024XXXX)

• RS-232 SYNCHRONOUS MODEM CABLES

500425-06	6' (1.8M)	HD DB15 M - DB25 M HOST ADAPTER TO RS232 CABLE
500425-10	10' (3.0M)	HD DB15 - DB25 M HOST ADAPTER TO RS232 CABLE
500424-06	6' (1.8M)	HD DB15 F - DB25 M RS232 MODEM TO CONCENTRATOR CABLE
500424-10	10' (3.0M)	HD DB15 F - DB25 M RS232 MODEM TO CONCENTRATORCABLE

• RS-422 SYNCHRONOUS MODEM CABLES

500456-06	6' (1.8M)	HD DB15 M - DB37M HOST ADAPTER TO RS422 MODEM CABLE
500456-10	10' (3.0M)	HD DB15 M - DB37M HOST ADAPTER TO RS422 MODEM CABLE
500457-06	6' (1.8M)	HD DB15 F - DB37 M HOST ADAPTER TO RS422 MODEM CABLE
500457-10	10' (3.0M)	HD DB15 F - DB37 M HOST ADAPTER TO RS422 MODEM CABLE

• HOST TO CONCENTRATOR CABLES

500420-06	6' (1.8M)	HD DB15 M/F HOST ADAPTER TO CONCENTRATOR CABLE (DIGI # 621XXXX)
500420-10	10' (3.0M)	HD DB15 M/F HOST ADAPTER TO CONCENTRATOR CABLE (DIGI # 621XXXX)

• HOST TO PRE-1993 CONCENTRATOR CABLES

500486-06	6' (1.8M)	HD DB15 M/M HOST ADAPTER TO CONCENTRATOR CABLE (PLASTIC BOX)
500486-10	10' (3.0M)	HD DB15 M/M HOST ADAPTER TO CONCENTRATOR CABLE (PLASTIC BOX)

• RS-232 DTE SERIAL CABLES

500466-06	6' (1.8M)	10 RJ45 - DB25 C/CON TO DTE DEVICE CABLE
500466-10	10' (3.0M)	10 RJ45 - DB25 C/CON TO DTE DEVICE CABLE

• RS-232 DCE SERIAL CABLES

500465-06	6' (1.8M)	10 RJ45 - DB25M C/CON TO DCE DEVICE CABLE (DIGI # 6102XXX)
500465-10	10' (3.0M)	10 RJ45 - DB25M C/CON TO DCE DEVICE CABLE (DIGI # 6102XXXX)

DIGIBOARD® CABLES (continued)

• DTE OCTO AND QUAD CABLES

500471-06	6' (1.8M)	DB78 M - 4 DB25 M QUAD DTE SERIAL CABLE (DIGI# 60000194)
500471-10	10' (3.0M)	DB78 M - 4 DB25 M QUAD DTE SERIAL CABLE (DIGI# 60000194)
500474-06	6' (1.8M)	DB78 M - 8 DB25 M OCTO DTE SERIAL CABLE (DIGI# 60000183)
500474-10	10' (3.0M)	DB78 M - 8 DB25 M OCTO DTE SERIAL CABLE (DIGI# 60000183)

TOKEN RING

• TYPE 3 MEDIA JUMPER

CIB-MDJ-13	13' (4.0M)	DATA CONNECTOR - UTP UNTERMINATED
------------	------------	-----------------------------------

• MEDIA FILTER KIT

CIB-MFK-08	16Mbps MEDIA FILTER KIT WITH 8' (2.4M) DB9 M - RJ11 CABLE
100787-00	16Mbps MEDIA FILTER KIT WITH 10' (3.0M) DB9 M - RJ45 CABLE

• MEDIA FILTER KIT CABLES

CIB-064-08	8' (2.4M)	RJ11 M/M CABLE
CIB-064-15	15' (4.6M)	RJ11 M/M CABLE
CIB-064-25	25' (7.6M)	RJ11 M/M CABLE

• ADAPTER CABLES

CIB-061-08	8' (2.4M)	DB9 M - DATA CONNECTOR ADAPTER CABLE
CIB-061-15	15' (4.6M)	DB9 M - DATA CONNECTOR ADAPTER CABLE
CIB-061-30	30' (9.1M)	DB9 M - DATA CONNECTOR ADAPTER CABLE

• PATCH CABLES - DATA CONNECTOR

CIB-062-08	8' (2.4M)	DATA CONNECTOR - DATA CONNECTOR PATCH CABLE
CIB-062-15	15' (4.6M)	DATA CONNECTOR - DATA CONNECTOR PATCH CABLE
CIB-062-30	30' (9.1M)	DATA CONNECTOR - DATA CONNECTOR PATCH CABLE
CIB-062-75	75' (22.9M)	DATA CONNECTOR - DATA CONNECTOR PATCH CABLE
CIB-062-150	150' (45.7M)	DATA CONNECTOR - DATA CONNECTOR PATCH CABLE

• PATCH CABLES - RJ45 CONNECTOR

CIB-065-08	8' (2.4M)	RJ45-RJ45 TOKEN RING PATCH CABLE
CIB-065-15	15' (4.6M)	RJ45-RJ45 TOKEN RING PATCH CABLE
CIB-065-30	30' (9.1M)	RJ45-RJ45 TOKEN RING PATCH CABLE

• DATA CONNECTORS

CN-A-1-554000-7	AMP DATA CONNECTOR KIT
-----------------	------------------------

FIBER OPTIC MULTIMODE ASSEMBLIES

• DUPLEX, FDDI RATED, PVC ASSEMBLIES

53071-LENGTH	FSMA-I - FSMA-I DUPLEX CABLE
53073-LENGTH	MINI BNC - MINI BNC STAINLESS DUPLEX CABLE
53076-LENGTH	ST - ST CERAMIC DUPLEX CABLE
53077-LENGTH	ST - ST STAINLESS DUPLEX CABLE
53078-LENGTH	ST - SMA STAINLESS CABLE
53079-LENGTH	SC - SC CERAMIC SIMPLEX CABLE
53080-LENGTH	SC - SC CERAMIC DUPLEX CABLE
53081-LENGTH	FSD MC 180 - FSDMC 180 CERAMIC CABLE
53082-LENGTH	FSD MC 180 - ST CERAMIC CABLE
53083-LENGTH	RSD - RSD CERAMIC CABLE
53084-LENGTH	RSD - ST CERAMIC CABLE
53085-LENGTH	FDDI - FDDI CABLE
53086-LENGTH	FDDI - ST CERAMIC CABLE

MACINTOSH NETWORKING PRODUCTS

• PHONENET® COMPATIBLE NETWORK KITS

CMA-APMD8	MINI DIN 8 SYSNET CONNECTOR KIT - KIT INCLUDES TRANSCEIVER, TERMINATOR, AND 7' (2.1M) PHONE CORD.
CMA-3MDRJ	6' (1.8M) MINI DIN 3 M - RJ11 SYSNET TO LOCALTALK ADAPTER CABLE
CMA-APTERM	SYSNET® TERMINATOR
CMA-LOCMD8	MINI DIN 8 PIN LOCALTALK® CONNECTOR KIT (100% LOCALTALK COMPATIBLE) INCLUDES TRANSCEIVER AND CABLE.

• LOCALTALK® EXTENDER CABLES

CMA-044-12	12' (3.7M)	MINI DIN 3 M/M LOCALTALK EXTENDER CABLE
CMA-044-25	25' (7.6M)	MINI DIN 3 M/M LOCALTALK EXTENDER CABLE
CMA-044-50	50' (15.2M)	MINI DIN 3 M/M LOCALTALK EXTENDER CABLE
100428-100	100' (30.5M)	MINI DIN 3 M/M LOCALTALK EXTENDER CABLE

CPU/PERIPHERAL SHARING

Input Connectors: (2) Mini Din 6 F, (1) Din 5 F, (1) HD DB15 F, (1) DB9 F

Output Connectors: Same as above per connected computer.

SA-CS104	MASTER VIEW CPU SHARING SWITCH 1 MONITOR/KEYBOARD/MOUSE TO 4 COMPUTERS
----------	--

BULK CABLE


COAXIAL CABLE - NETWORK/VIDEO

• RG6-A COAXIAL CABLE

Application: Cable TV/Home Video
Cable Type: 75 Ohm
Gauge: 20 AWG (solid core)
Shield: 100% Foil 60% Aluminum Braid
Part Number: CBL-RG6-A
Minimum Purchase: 100 feet

• RG58/U PVC COAXIAL CABLE

Application: Network wiring
Cable Type: 50 Ohm Coaxial
Gauge: 20 AWG (solid core)
Shield: 95% Copper Braid
Part Number: CBL-RG58-U
Minimum Purchase: 100 feet




• RG58/U PLENUM COAXIAL CABLE

Application: Network Wiring between floors, in ceilings
Cable Type: 50 Ohm Coaxial
Gauge: 20 AWG (solid core)
Shield: 95% Copper Braid
Part Number: CBL-RG58A-U-P
Minimum Purchase: 100 feet

• THINNET PVC COAXIAL CABLE

Cable Type: 802.3 10Base 2
Gauge: 20 AWG (stranded)
Shield: 93% Braid/Foil
Recommended Connector Part Number: CN-RG58-88-11
Part Number: CBL-THIN-NET
Minimum Purchase: 100 feet



• THINNET PLENUM COAXIAL CABLE

Cable Type: 802.3 10Base 2
Gauge: 20 AWG (stranded)
Shield: 93% Braid/Foil
Recommended Connector Part Number: CN-RG58-88-11
Part Number: CBL-THIN-NET-P
Minimum Purchase: 100 feet

MULTIPLE CONDUCTOR


Cable Type: PVC

Gauge: 24 AWG

Shield: Aluminum/Mylar Foil

Minimum Purchase: 100 feet

Other multiple conductor cable types available. Call for details.



CBL-CO6P-24FLC

CBL-CO7C-24F

7 CONDUCTOR CABLE (FOIL SHIELD)

CBL-C06P-24FLC

12 CONDUCTOR (6 PAIR) CABLE

CBL-C12.5P-24FLC

25 CONDUCTOR (12.5 PAIR) CABLE

CBL-C02P-24F

4 CONDUCTOR (2 PAIR) FOIL SHIELD



CBL-C12.5P-24FLC

TOKEN RING

Gauge: 24 AWG

Shield: Aluminum/Mylar Foil and Copper Braid

Minimum Purchase: 100 feet

CBL-TYPE 6

4 CONDUCTOR (2 PAIR) TYPE 6 CABLE

UNSHIELDED TWISTED PAIR

Cable Type: Solid Core/Stranded Core

Gauge: 24 AWG

Minimum Purchase: 100 feet



CBL-PO2P-24U

CBL-P02P-24U

4 CONDUCTOR (2 PAIR) LEVEL 3 CABLE

CBL-P04P-24U-L5

8 CONDUCTOR (4 PAIR) SOLID CORE CATEGORY 5

CBL-P04P-24US-L5

8 CONDUCTOR (4 PAIR) STRANDED CATEGORY 5

CBL-P04P-24UP-L5

8 CONDUCTOR (4 PAIR) SOLID CORE CATEGORY 5

VIDEO CABLE

CBL-V4C4P

4 75 OHM COAX, 4 PAIR DOUBLE SHIELDED WIRE

SCSI CABLE

CBL-C25P-28D-135

MADISON 25 PAIR 28 AWG, 135 OHM, FAST 20 ULTRA WIRE

CBL-C34P-28D-135

MADISON 34 PAIR 28 AWG, 135 OHM, FAST 20 ULTRA WIRE

TELEPHONE/NETWORKING


• 4 CONDUCTOR

Cable Type: Flat PVC Silver Satin

Number of Conductors: 4

Unshielded

Part Number: CBL-4FSS



TELEPHONE/NETWORKING (continued)


• 6 CONDUCTOR

Cable Type: Flat PVC Silver Satin

Number of Conductors: 6

Unshielded

Part Number: CBL-6FSS




• 8 CONDUCTOR

Cable Type: Flat PVC Silver Satin

Number of Conductors: 8

Unshielded

Part Number: CBL-8FSS



• MODULAR CONNECTORS/ADAPTERS

MC-RJ11	RJ11 (4X6) MODULAR CONNECTOR
MC-RJ12	RJ12 (6X6) MODULAR CONNECTOR
MC-RJ11-SPLITTER	RJ11 SPLITTER
MC-RJ11-COUPLER	RJ11 COUPLER
MC-25P-11	DB25 M - RJ11 ADAPTER
MC-25S-11	DB25 F - RJ11 ADAPTER
MC-25P-45	DB25 M - RJ45 ADAPTER
MC-25S-45	DB25 F - RJ45 ADAPTER
MC-9P-11	DB9 M - RJ11 ADAPTER
MC-9S-11	DB9 F - RJ11 ADAPTER
MC-9P-45	DB9 M - RJ45 ADAPTER
MC-9S-45	DB9 F - RJ45 ADAPTER

CONNECTORS/TOOLS

CN-RG58C	BNC RG58 CRIMP ON
CN-RG58T	BNC RG58 TWIST ON
CN-BNC-T	BNC "T" CONNECTOR
CN-BNC-C	BNC FEMALE-FEMALE COUPLER
CN-BNC-50	BNC 50 OHM TERMINATOR
CN-BNC-50-G	BNC 50 OHM TERMINATOR WITH GROUND CHAIN
TL-BNC-CRIMP	COAX BNC CRIMPING TOOL RG62 OR RG58
TL-CBLCT	COAX STRIPPING TOOL RG62 OR RG58
MC-RJ45	RJ45 (8X8) STRANDED CORE CONNECTOR
CN-A-5-554720	RJ45 (8X8) SOLID CORE CONNECTOR
TL-CRIMP-RJ45	RJ45 CONNECTOR CRIMPING TOOL
TL-CRIMP-RJ11/12	RJ11/12 CRIMPING TOOL
TL-BNC-CRIMP	COAX BNC CRIMPING TOOL RG62 OR RG58
TL-CBLCT	COAX STRIPPING TOOL RG62 OR RG58


ACCESSORIES

MANUAL SWITCHBOXES

All manual switchboxes have female ports. All DB25 switchboxes will support parallel and serial applications.

• COMPUTER PRINTER

SBM-1C2P	2 WAY (1X2) - 1 CENTRONICS 36 F PORT/2 DB25 F PORTS
SBM-2C1P	2 WAY (1X2) - 2 CENTRONICS 36 F PORT/1 DB25 F PORT




• DB25

SBM-225	2 WAY (1X2) - 3 DB25 F PORTS
SBM-425	4 WAY (1X4) - 5 DB25 F PORTS
SBM-625	6 WAY (1X6) - 7 DB25 F PORTS
SBM-25X	2 WAY (2X2) - MATRIX 5 DB25 F PORTS




• DB9

SBM-209	2 WAY (1X2) - 3 DB9 F PORTS
SBM-409	4 WAY (1X4) - 5 DB9 F PORTS



• MINI DIN 8 PIN

SBM-2MD8	2 WAY (1X2) - 3 MINI DIN 8 PIN F PORTS
SBM-4MD8	4 WAY (1X4) - 5 MINI DIN 8 PIN F PORTS




• CENTRONICS 36

SBM-236	2 WAY (1X2) - 3 CENTRONICS 36 F PORTS
---------	---------------------------------------




• HD DB15

SBM-2HD15	2 WAY (1X2) - 3 HIGH DENSITY DB15 F PORTS
SBM-4HD15	4 WAY (1X4) - 5 HIGH DENSITY DB15 F PORTS



• MONITOR/KEYBOARD

SBM-2VK	2 WAY (1X2)	HD DB15 F MONITOR PORT/2 5 PIN DIN F KEYBOARD PORTS
SBM-4VK	4 WAY (1X4)	HD DB15 F MONITOR PORT/4 5 PIN DIN F KEYBOARD PORTS
SBM-2VK6	2 WAY (1X2)	2 HD DB15 F/ 1 MINI DIN 6 F
SBM-4VK6	4 WAY (1X4)	4 HD DB15 F/ 1 MINI DIN 6 F



SWITCHBOX CABLES

Cable/Shielding Type: Molded - Aluminum/Mylar Foil Shielding


Application: Used to connect computers and peripherals to manual and automatic switchboxes.

For serial or other applications, call technical support at (800) 877-9143.

• PARALLEL APPLICATIONS



From computer to switchbox

CIB-004-06	6' (1.8M)	DB25 M/M 25 CONDUCTOR CABLE
CIB-004-10	10' (3.0M)	DB25 M/M 25 CONDUCTOR CABLE
CIB-004-15	15' (4.6M)	DB25 M/M 25 CONDUCTOR CABLE
CIB-004-25	25' (7.6M)	DB25 M/M 25 CONDUCTOR CABLE



• MONITOR/KEYBOARD SWITCHBOX CABLES


CIB-011M-06	6' (1.8M)	DIN 5 M/M KEYBOARD SWITCHBOX CABLE
CIB-047M-06	6' (1.8M)	HD DB15 M/M VGA MONITOR SWITCHBOX CABLE
CIB-048M-06	6' (1.8M)	MINI DIN 6 M/M KEYBOARD SWITCHBOX CABLE



AUTOMATIC SWITCHBOXES

• SERIAL

SA-S201	2 TO 1 (1 DB25 M/2 DB25 F CONNECTORS)	SERIAL - NON-POWER
SA-S401	4 TO 1 (1 DB25 M/4 DB25 F CONNECTORS)	SERIAL - NON-POWER



• PARALLEL

SA-P201	2 TO 1 (3 DB25 F CONNECTORS)	PARALLEL - NON-POWER
SA-P401	4 TO 1 (5 DB25 F CONNECTORS)	PARALLEL - NON-POWER



IEEE 1284 BI-DIRECTIONAL SWITCHBOXES

SA-21FB	2 WAY BI-DIRECTIONAL AUTOMATIC SWITCHBOX	<i>NEW!</i>
SA-41FB	4 WAY BI-DIRECTIONAL AUTOMATIC SWITCHBOX	<i>NEW!</i>

PRINTER NETWORKING/CONVERSION

SA-450	PARALLEL LINK KIT - 2 TRANSMITTERS, 1 RECEIVER, 25' PHONE CORD
SA-452	DB25 M PARALLEL TRANSMITTER
SA-PEX	PARALLEL EXTENDER KIT
SA-PEXD	DB25 M/M PARALLEL EXTENSION KIT
SA-SP-BI	BI-DIRECTIONAL SERIAL TO PARALLEL CONVERTER

CPU/PERIPHERAL SHARING

Input Connectors: (2) Mini Din 6 F, (1) Din 5 F, (1) HD DB15 F, (1) DB9 F

Output Connectors: Same as above per connected computer.

SA-CS104	MASTER VIEW CPU SHARING SWITCH 1 MONITOR/KEYBOARD/MOUSE TO 4 COMPUTERS
----------	--

VIDEO SPLITTER

Application: For PC VGA/SVGA Monitor signals

Input Connectors: (1) HD DB15 M

Output Connectors: (4) HD DB15 F

SA-VS104 4 WAY VIDEO SPLITTER W/ 6' CABLE (CIB-047-06 Cable Included)

STANDARD SURGE SUPPRESSOR

AC-SP01 6 OUTLET SURGE SUPPRESSOR

SP-1000TLS POWER CONTROL CENTER W/ PHONE LINE PROTECTION

PREMIUM SURGE SUPPRESSOR

Power Tracker® Brand By EFI Electronics®

SP-P50ES STANDARD, 6 OUTLET, \$2,500 WARRANTY

SP-P50ET STANDARD, 6 OUTLET W/ FAX PROTECTION, \$2,500 WARRANTY

SP-P150ES ADVANCED, 8 OUTLET, \$10,000 WARRANTY

SP-P150ET ADVANCED, 8 OUTLET W/ FAX PROTECTION, \$10,000 WARRANTY

SP-P1500ES MAXIMUM, 8 OUTLET, \$25,000 WARRANTY

SP-P1500ET MAXIMUM, 8 OUTLET W/ FAX PROTECTION, \$25,000 WARRANTY

SP-P1500ED MAXIMUM, 8 OUTLET W/ FAX & SATELLITE PROTECTION, \$25,000 WARRANTY

• POWER CONTROL CENTER

SP-C3ET MAXIMUM POWER CENTER 5 OUTLET W/ FAX PROTECTION, \$25,000
WARRANTY

ACCESSORIES

AC-ME01 3 BUTTON MICROSOFT COMPATIBLE SERIAL MOUSE

AC-MS-PAD 8.5"X9" MOUSE PAD

AC-KIT2 BASIC STARTER KIT

Kit includes 6' printer cable, copy clip, 40 capacity disk file, mouse pad, 10 diskettes

AC-KIT1 DELUXE STARTER KIT

Kit includes 6' printer cable, 6 outlet surge strip, 40 capacity disk file, mouse pad,
10 diskettes

PROGRAMS

OEM/OFFSHORE MANUFACTURING

• DIRECT ACCESS TO OFFSHORE FACTORIES

SC/Asia (System Connection Asia) is customizable direct offshore sourcing program for Original Equipment Manufacturers. Through your local field sales representative or direct contact with our office in Taiwan, the SC/Asia program provides direct access to our offshore factories for cables, connectors or components.

• SC/ASIA MEANS LOWER OVERALL COMPONENT COSTS

Because many of our services are optional we eliminate expensive warehousing, handling and other costs normally associated with buying cable assemblies. You pay for only the services you need or use.

• HIGH QUALITY CUSTOM AND STANDARD PRODUCTS

All of the products in this catalog plus thousands of custom cable assemblies, connectors or components are manufactured in our own factories. With over 45 years of accumulated manufacturing experience and ISO 9002 certification at our lead plant, high volume, custom or semi-custom assemblies are built to industry or your exacting specifications.

• SC/ASIA OFFERS ORIGINAL EQUIPMENT MANUFACTURERS:

- An office in Taiwan with experienced, English-speaking employees
- China factory direct pricing
- Single source for connectivity products - cables, terminators, connectors and components
- Broad cable offering - any round wire or ribbon cable
- Finished products or raw components
- ISO 9002 Quality Certification (principal factory)
- In-house technical support plus a database of over 62 million cable diagrams
- Semi-custom and custom cables, terminators, connectors and plastic components
- Component sourcing for stock, difficult to find, or custom products or components

• OPTIONAL SERVICES:

- Contract manufacturing and pack-out services
- Complete turnkey solutions
- Engineering, design, and tooling services
- Freight forwarding, customs brokerage, and transportation services
- Just-in-time, direct from origin, and worldwide delivery options
- Warehousing/Storage
- Customized testing and Quality Assurance programs
- Packaging, media and documentation- sourcing, duplication and printing
- Prototype design and fabrication
- FCC/Regulatory compliance testing

SC/Asia sales representatives in Utah, The Netherlands, Japan, Taiwan and in many major metropolitan areas.

CABLE/CONNECTOR/ADAPTER CAPABILITIES

• PC COMPATIBLE CABLES AND ADAPTERS

- * Parallel, Serial, IEEE 1284 (BI-TRONICS) printer & plotter cables
- * Modem, Null modem, and PC to PC communications cables & adapters
- * Keyboard & mouse cables, adapters & sharing devices
- * Monitor, video, and multimedia cables & adapters
- * Switchbox/peripheral sharing cables
- * Gender changer/adapters
- * Floppy & hard drive cables
- * Power cords - internal & external, power adapters

• MACINTOSH COMPATIBLE CABLES AND ACCESSORIES

- * Serial printer/peripheral cables
- * Serial modem cables
- * Macintosh to PC Communication cables
- * Terminated and unterminated Serial Extension/Switchbox cables
- * Apple Desktop Bus cables
- * Video cables & adapters
- * Localtalk and PhoneNET compatible network kits and cables
- * Economy & Pentium Grade SCSI Drive, System and Peripheral cables
- * SCSI Drive System and Peripheral cables
- * SCSI Active and Passive Terminators

• WORKSTATION/PC SCSI CABLES

- * Workstation Video, Keyboard and Miscellaneous cables
- * SCSI 1, 2 & 3 Internal/External Cable Terminators
- * Ultra, Ultra-2 Fast, Wide, Fast & Wide
- * SCSI 1, 2 & 3 Terminators
- * Active, Forced Perfect, Active Negative
- * SCSI 1, 2 & 3 Connector Types
- * DB50, Centronics 50, .050 50 Pin, .050 Centronics,
- * .050 Centronics 60, .050 Centronics 68, .050 68 Pin, .8mm 68 Pin,
- * IDC 50 Socket (header), IDC 50 Position Socket (Card Edge),
- * .050 50 Pin (.025 Ribbon style), .050 68 Pin (.025 Ribbon style), LFH

• NETWORKING CABLES

- * Category 5 Patch Cables
- * RG58 Coax Cables
- * Transceiver Cables
- * Token Ring Cables and Kits
- * PCMCIA (PC Card) Cables & Connectors
- * Universal Serial Bus Cables & Connectors
- * IEEE-1394 Cables & Connectors
- * Audio/Video Cables
- * Telco/Communications Cables - V.35, Futurebus & Futurebus Plus Cables
- * SSA Cables
- * Fiber Channel Cables
- * VESA/EVC Cables
- * Ribbon Cables, PVC, TPE, FEP (Teflon) .050 and .025 HSSI CABLES
- * Discrete Wire Harnesses
- * International Power Cords

RACK MERCHANDISE PROGRAM

A COMPLETE MERCHANDISING SOLUTION

System Connection offers an optional rack program for retail storefronts. Configured in either a PC only or a PC/Mac combination, the attractive display provides a complete self-service merchandising solution.

MARKET TESTED PRODUCT MIX

Each rack arrives complete with the optimal mix of cables and/or accessory items. Only proven bestsellers are included on the rack.


The RACK IS FREE!

Place an initial stocking order of \$400 or more and the rack is free!

Two FEET IS ALL IT TAKES!


Rack items are packaged in color-coded header cards with polybags with clear, easy to understand cable descriptions making it easy for your customers to serve themselves. Blister pack packaging available.

Call your customer service representative for more details, or click on the “VAR Program” Link on our website.




REFERENCE

SCSI CONNECTORS




1. DB25M

(Macintosh) External SCSI connector on Apple computers except PowerBooks. Also used on some MS-DOS SCSI controller cards.




2. Centronics 50M (SCSI-1) External cable connector on SCSI and SCSI-2 devices.




3. Centronics 50F External SCSI connector on SCSI and SCSI-2 controllers and peripherals.




4. HDI 30M (PowerBook) External SCSI connector on Apple Macintosh Powerbook computers.




5. .050 50 PIN w/thumbscrews (Hewlett Packard) External SCSI connector for SCSI-2 applications, Hewlett Packard computers and workstations.




6. .050 50 PinM (SCSI-2) External cable connector for SCSI-2 controllers and peripherals.




7. .050 CENTRONICS 50M (Mini Centronics) External cable connector for SCSI-2 controllers and peripherals.




8. .8MM 68 Pin Female External SCSI connector used on Ultra-2 and RAID controllers.




9. DB50 Male (Sun) External SCSI connector for SCSI applications on SUN Microsystems workstations.




10. .050 Centronics 60 M (IBM/PC Workstations) External SCSI connector for SCSI applications with IBM workstations.




11. .050 Centronics 68M (IBM/PC Workstations) External SCSI connector for SCSI-3 applications with IBM workstations.




12. .050 68 Pin M (SCSI-3) External SCSI connector for SCSI-2 Fast and Wide and SCSI-3 controllers and peripherals.




13. IDC 50 Position Socket (Header) Internal cable connector for SCSI and SCSI-2 controllers and peripherals.



14. IDC 50 Position Socket (Card Edge) Internal cable connector for SCSI and SCSI-2 controllers and peripherals.



15. .050 50 Pin Male (.025 Ribbon Style Connector) Internal cable connector for SCSI-2 controllers and peripherals. Note: Can only be used with other .025 50 pin ribbon style connectors.




16. .050 68 Pin Male (.025 Ribbon Style Connector) Internal cable connector for SCSI-2 Fast and Wide and SCSI-3 controllers and peripherals. Note: Can only be used with other .025 68 pin ribbon style connectors.


MINI DIN CONNECTORS




3 Pin Mini Female




3 Pin Mini Male




4 Pin Mini Female




4 Pin Mini Male




6 Pin Mini Female



6 Pin Mini Male



8 Pin Mini Female




8 Pin Mini Male


DB CONNECTORS




DB9 Female




DB9 Male




HD DB15 Female



HD DB15 Male




DB15 Female



DB15 Male



DB25 Female




DB25 Male



DB37 Female

CENTRONICS CONNECTORS




Centronics 36 Female



Centronics 36 Male


MINI CENTRONICS CONNECTORS

Mini Centronics 36 Male



TWINAX CONNECTOR

DB15 Female




DIN CONNECTORS


5 Pin Female




5 Pin Male



MODULAR CONNECTORS



RJ11 6P4C




RJ12 6P6C

COMMON PINOUTS


CIB-006

PINOUT SPECS.




CIB-008

PINOUT SPECS.




CIB-009

PINOUT SPECS.




CIB-035

PINOUT SPECS.




CIB-036

PINOUT SPECS.




CIB-047

PINOUT SPECS.




CIB-NULIF

PINOUT SPECS.




CMA-023H

PINOUT SPECS.




CMA-024

PINOUT SPECS.




CMA-025

PINOUT SPECS.



CMA-040F

PINOUT SPECS.



PART NUMBER CROSS REFERENCE

Apple Cable Part Numbers

A2C0312	CMA-024-06
A2C0314	CMA-023H-06
A2C4313	CAP-031-06
A2C9313	CAP-033-06
M0150	CMA-019-06
M0196	CMA-021-06
M0197	CMA-025-06
M0199	CMA-022-01
M0206	CMA-026P-03
M0207	CMA-027P-03
M0208	CMA-028P-06
M0209	CMA-038
M0332LL/A	CMA-038-SS
M2065	CMA-LOCDB9
M2066	CMA-LOCMD8-10M
M2068	CMA-LOCMD8
M2069	CMA-065-25M
M2070	CMA-067P

IBM Cable Part Numbers

09G3539	70278-06
32G0397	56601-03
32G3143	56301-05
32G3913	56303-06
32G3915	56601-06
32G3917	CIB-C50MM-02
32G3919	CMA-038-SSV
32G4089	56101-05
54G0441	136514-0.5
59G9004	89009-01
6339098	CIB-061-08
6451042	CIB-C50MM-03
6451139	56301-05
6466941	CIB-MFK-08
6466944	CIB-MDJ-13
70F9734	CIB-C50MM-03
70G9874	56101-05
74G8526	56301-04
74G8527	56301-04
8310574	CN-A-1-554000-7
8642551	CIB-062-08

Sun Cable Part Numbers

150-1785	CIB-S2-TERMA
150-1890	CIB-S3-TERMD
530-1365	CIB-D50MM-01
530-1381	CIB-D50P-TERM
530-1435	56102-02M
530-1501	CIB-D50MC50M-06
530-1503	56101-02M
530-1793	56100-03
530-1829	56102-01M
530-1836	56100-02M
530-1852	56100-04M
530-1869	500021-01
530-1886	56400-12M
X931H	56102-02M
X932A	56100-02M
X934A	56100-04M
X934A/A3	59601-06
X976A	100652-06
X979A	56400-12M
X980A	CIB-D50MM-01
X985A	500021-01
530-1440	59001-04
530-1446	59002-06
530-1509	59001-15

Cisco Part Numbers

72-0794-01	53001-10
72-0793-01	53002-10
72-0795-01	53003-10
72-0801-01	53004-10
72-0792-01	53005-10
72-0791-01	53006-10
CAB-3C449	53007-10
72-0797-01	53008-10
72-0789-01	53009-10
72-0790-01	53010-10
CAB-25AS-FDTE	53012-00
CAB-25AS-MMOD	53014-00
31-0590-01	53015-14

3COM Part Numbers

07-0170-00-01	53022-02
---------------	----------

Bay Networks Part Numbers

7525	53040-25
7526	53041-25
7825	53042-15
77850	53043-25
7115	53044-15
7125	53045-15
7126	53046-15
7128	53047-15
7215	53048-15
7216	53049-15
7218	53050-15
7219	53051-15
7220	53052-15
7221	53053-15
7224	53054-15
7255	53055-15
7256	53056-15
7260	53057-15
7315	53058-15
7318	53059-15
7826	53060-15
7833	53061-15
7834	53062-15
7835	53063-15
7836	53064-15
7837	53065-15

DigiBoard Part Numbers

6204XXXX	500432-Length
6211XXXX	500420-Length
6102XXXX	500465-Length
60000194	500471-Length
60000183	500474-06

END OF CATALOG